Hypertension

An Official Journal of the American Heart Association

INDEX TO VOLUME 8

JANUARY-DECEMBER 1986

and

Proceedings of the Sixth Scientific Meeting of the Inter-American Society of Hypertension, 1985
Part 2, Volume 8, Number 4, April 1986
Supplement I

and

Proceedings of the Council for High Blood Pressure Research, 1985
Part 2, Volume 8, Number 6, June 1986
Supplement II

Hypertension

An Official Journal of the American Heart Association

INDEX TO VOLUME 8

JANUARY-DECEMBER 1986

and

Proceedings of the Sixth Scientific Meeting of the Inter-American Society of Hypertension, 1985
Part 2, Volume 8, Number 4, April 1986
Supplement I

and

Proceedings of the Council for High Blood Pressure Research, 1985
Part 2, Volume 8, Number 6, June 1986
Supplement II

Index to Volume 8

HYPERTENSION JANUARY-DECEMBER 1986

AUTHOR INDEX

Key to abbreviations: A = abstract; BR = brief review; CC = clinical conference; CR = case report; E = editorial; L = letter; PV = point of view; RC = rapid communication; SR = special report. Roman numerals preceding page numbers indicate articles published in supplements.

A

Aakesson I, 506
Aalkjær C, 832 (A-70)
Aaronson P, II-89
Abboud FM, 831 (A-63)
Abe K, 223, 748, 762
Aburano T, 415
Aceto RM, 825 (A-42)
Achimastos A, I-174
Aguilera G, 1121
Akester J, 489
Alcazar JM, 677
Allen AM, 835 (A-83)
Alpert BS, 1075
Alvarado JA, I-105
Amery A, 824 (A-35)
Anderson EA, 829 (A-58)
Anderson WP, 109
Angelakos ET, 822 (A-29)
Angelini A, 1143
Angus JA, 361
Ansari A, 851
Ash KO, 30
Ashida T, 818 (A-11)
Atlas SA, 312, 825 (A-42)
Averbuch SD, 830 (A-61)
Avila G, I-22
Aviv A, 379, 817 (A-9), 1050

B

Baba K, 997, 1149
Baker J, 824 (A-34)
Baldi E, 813 (L)
Bamforth R, 1050
Ban T, I-151
Barrett JD, 821 (A-24)
Barrios R, I-105
Bassenge E, 37, 1003
Basso N, I-75, I-123
Baudouin-Legros M, 694
Bauer JH, 238, 290
Baxter JD, 826 (A-43), II-78
Bean BL, 754, 1135
Becker H, 303
Bedran-de-Castro MT, I-47
Beevers DG, 625
Bell C, 122
Ben-Ari ET, 540 (RC)
Benarroch EE, I-56
Bendhack LM, I-90
Benetos A, 832 (A-67), 971, 1089 (RC), I-174
Bengtsson C, 1044
Bennett BA, II-168
Berecek KH, 829 (A-57), 1127
Berenson GS, 24
Beretta-Piccoli C, 407
Berger ME, 828 (A-52)
Bhalla RC, 583
Biaggioni I, 391, II-106
Bianchi G, 932
Bing RF, 483
Biollaz J, 117, II-96
Birkenhäger WH, 810 (CR), 836 (A-86)
Bishop SP, 700
Black HR, 489
Blaine EH, 211
Blair ML, 835 (A-84)
Blaustein MP, 360 (L), 816 (A-2), 818 (A-11)
Bloch KD, 549 (RC), 825 (A-39)
Blomqvist CG, 722 (CC)
Bobik A, 16
Bohlen HG, 181 (E)
Bohr DF, 827 (A-48), I-52, II-16, II-123
Bolívar JJ, I-22
Bolli P, 824 (A-34), (A-38)
Borders JL, 66, 184
Borghetti A, 983
Bouhnik J, II-72
Bourke E, 549 (RC)
Branch RA, 391
Bravo EL, 833 (A-74), 834 (A-77), I-191
Brecha NC, 712
Brecher PI, I-15, II-50
Brooks B, 823 (A-32), II-117
Brosnihan KB, I-79, I-84, I-95
Brown D, 834 (A-76)
Bruner CA, 904
Brunner DB, 476
Brunner HR, 117, 476, II-96
Brunner-Ferber F, II-96
Bruschi G, 983
Bruschi ME, 983
Bruun NE, 655
Buchholz RA, 1154
Buckley JP, 829 (A-56), I-70
Bühler FR, 159, 662, 824 (A-34), 824 (A-38)
Bumpus FM, 822 (A-27), I-101
Bürgisser E, 662
Burkart F, 824 (A-34)
Burke GL, 24
Burnett JC Jr, 827 (A-47), II-112
Burnier M, 117
Burton J, I-114
Busse R, 37
Butters CA, 583
Buu NT, 825 (A-40), 940
Byers LW, 823 (A-32), II-117

C

Calleja C, I-105
Camargo MJ, 312, 825 (A-42)
Canessa M, I-165
Cantin M, 825 (A-40), 826 (A-44), I-137, I-141
Carey RM, 399, 819 (A-16)
Carleton JE, 819 (A-17)
Carlson WD, II-72
Carraro U, 1143
Carretero OA, I-110, II-61
Carter E, 843
Casadei R, 147
Casalone C, 50
Casati R, 50
Cashman PMM, 267
Catt KJ, 1121
Cauvin C, II-89
Cavatorta A, 983
Cereijido M, I-22
Cermeño JL, I-105
Chang D, 890
Chang E, 820 (A-19)
Chang PC, 801
Chapleau MW, 831 (A-63)
Chartier L, 826 (A-45)
Chelly J, 829 (A-56), I-66, I-70
Chobanian AV, 828 (A-54), I-15, II-50
Chopin LF, 843
Chou L, 890
Churchill L, 817 (A-8), 831 (A-66)
Chute RN, 940
Ciccone CD, 925
Cirillo M, 1084 (RC)
Clark AJ, 843
Clark DL, 947 (RC)
Clarke HS Jr, 685
Clementi WA, 229
Cody RJ, 3, 825 (A-42)
Cohen DM, I-180
Colucci WS, 836 (A-85)
Connell JMC, 669, 826 (A-46)
Cooper R, 1067
Cornman C, I-156
Corrie JET, 669
Corvol P, II-72
Covit AB, 3
Cowley AW Jr, 332
Coyle P, II-67
Cragoe E Jr, 816 (A-5)
Croxatto HR, I-161
Crozier IG, II-11
Cueto DG, I-128
Curzon G, 611
Czerska B, 834 (A-77)

D

Dalla Libera L, 1143
Dal Palù C, 962 (L), 1143
Dang-Trang L, I-66

Dard B, 694
da Rocha e Silva M Jr, I-195
Davidson G, 826 (A-46)
Davis JO, II-28
DeFeo ML, 813 (L)
DeGraaf GL, 833 (A-72), 1105
Delaney VB, 549 (RC)
de Leeuw PW, 810 (CR), 836 (A-86)
Demmert G, II-157
Dempo K, 951 (CR)
De Quattro V, 611, 851
Deray G, 391, 632
De Schaepdryver A, 824 (A-35)
DeSilva P, 822 (A-27), I-95
Deslongchamps M, II-6
Devynck M-A, 632
Dianzumba SB, I-156
Dibner MD, 965 (E)
DiBona GF, 133
Di Carlo A, 1084 (RC)
Dickson JC, 198
Dietrich R, 817 (A-6)
Diezi J, 117
DiPette DJ, 831 (A-64), I-156
Di Rienzo M, 147
Disney GW, 843
Distler A, 859
Diz DI, I-84
Do YS, II-78
Doi Y, 997
Douglas FL, 298
Douglas JG, 822 (A-28)
Doursout M-F, 829 (A-56), I-66, I-70
Dowell R, II-117
Downs JH, 56
Drake CR Jr, 399
Drapeau G, 831 (A-66)
Drizd T, 1067
Dunbar JB, 178 (SR)
Durst NL, 229
Dzau VJ, 489, 544 (RC), 553 (E), 819 (A-17), 821 (A-25), II-174

E

Eby B, 45
Egan BM, II-36
Eggena P, 821 (A-23), 821 (A-24)
Eide IK, 506
Ellison DH, 497
Ellison KE, 544 (RC), 821 (A-25)
Elsner D, 1003
Endo J, 829 (A-55)
Enero MA, I-184
Engel CR, 818 (A-13)
Epstein FH, 438
Epstein M, 422
Erdös EG, I-34
Erne P, 159, 824 (A-38)
Espiner EA, II-11
Evin G, II-72

F

Fagerberg B, 358 (L)
Falk R, 851
Falkner B, I-165
Faraci FM, 828 (A-53)
Farnsworth B, 819 (A-16)
Fatigati V, 820 (A-18)
Fehr KL, 66
Fejes-Tóth G, 514
Felton K, 272
Feltrin GP, 962 (L)
Ferrario CM, 834 (A-77), I-79, I-84, I-95
Ferrell F, 1021
Ferrier C, 407
Ferris TF, 821 (A-22)
Fiddes J, 826 (A-43)
Field FP, 526, 1032
Figdor R, 835 (A-83)
Filep J, 514
Fineberg NS, 154, II-127
Fink GD, 835 (A-84)
Fitz A, 836 (A-87)
Fitzpatrick MA, II-36
Fletcher AM, 62
Floras J, 641
Folsom AR, 11
Fontán M, I-128
Foradori AC, I-161
Ford-Hutchinson A, II-44
Forgiarini P, 600
Foti A, 611
Fouad FM, 834 (A-77), I-191
Francis C, 489
Franco M, I-105
Franco-Saenz R, 997, 1149
Fraser R, 669
Frederichsen P, 506
Freedman DS, 24
Freeman RH, II-28
Freis ED, 265 (L), II-135
Friedman SM, 592
Fritz LC, II-78
Frohlich ED, vii (April)
Fujii H, 779
Fujita T, 883
Fukuzaki H, 828 (A-51)
Furspan PB, II-123
Furuta Y, 828 (A-51)

G

Gabbai F, I-105
Gaddy P, 290
Gafter U, 45
Galen F-X, II-72
Galletti F, 1084 (RC)
Gallo A, I-128
Ganten D, 303, 817 (A-6), II-157
Garcia R, 826 (A-44), I-137, I-141
Gardner DG, 826 (A-43)
Garno J, 45
Garrison JC, 540 (RC)
Gavras H, 83 (PV), 832 (A-67), 971, 1089 (RC), I-169, II-163
Gavras I, 832 (A-67), 971, 1089 (RC), I-169, II-163
Geary K, 819 (A-16)
Gelmann EP, 830 (A-61)
Genain C, 836 (A-88)
Genest J, 825 (A-40), I-137, I-141
Geppetti P, 813 (L)
Gerber JG, 737
Giles TD, 198
Gist R, 834 (A-76)
Giuliano R, I-56
Given BD, 489
Goldberg LI, 298
Goldman WF, 816 (A-2)
Goldstein DS, 471, 816 (A-4), 830 (A-61)
Golub MS, 828 (A-52)
Gomez A, 819 (A-16)
Gomez H, II-96
Gomez-Sanchez CE, 258 (CC), 317
Gonzalez-Mariscal L, I-22
Gordon RD, 93 (BR)
Gormaz G, I-161
Gorsline J, I-187
Gotzen R, 859
Gould BA, 267
Graham RM, 549 (RC), 825 (A-39), 830 (A-59)
Granata AR, I-56
Granger HJ, 66, 184
Granger JP, II-112
Graves S, 819 (A-14)
Gray SD, 1021
Graziadei L, 786
Grecos GP, 685
Green RS, 62
Grekin RJ, II-16
Griendling KK, 836 (A-85)
Grim CE, II-127
Grimm RH Jr, 11
Grinspon D, I-75
Grodski A, 830 (A-59)
Gross KW, 874
Gross ML, 685
Grossman S, 1050
Guertzenstein PG, I-195
Guglielmi S, 1084 (RC)
Guicheney P, 694
Gulati N, 600
Gutkind JS, I-184
Gutkowska J, 825 (A-40), 826 (A-44), I-137

H

Haass M, 817 (A-7)
Haber E, 1 (E), 469 (E), 1093 (E), II-72
Haddy F, 816 (A-5)
Hadley EC, 178 (SR), 639 (L)
Haertenberger A, 859
Hall CE, 317
Halpern W, 606
Hamet P, 520
Hamilton BP, 285
Hamlin MN, I-119
Handschumacher M, II-72
Hanozet GM, 932
Harnik M, I-187
Harnois D, 819 (A-16)
Harrap SB, 572
Harris DW, 833 (A-72), 1105
Hartley C, I-70
Hartling OJ, 655
Hasegawa Y, I-101
Hashimoto K, 386, 1027
Hassan MO, 641
Hatinoglou S, 971, II-163
Hattori T, 386, 1027
Haudenschild CC, I-15
Heagerty AM, 483, 832 (A-70)
Hediger ML, 277
Hegsted M, 843
Heistad DD, 828 (A-53), 911, II-67
Henry JP, I-119
Hermann K, 820 (A-21)
Herrera-Acosta J, I-105
Hess H-J, 830 (A-59)
Hessler JR, 62
Heusser C, 600, 819 (A-17)
Higuchi S, 142
Hinderliter AL, II-36
Hirata Y, 883
Hiwada K, II-1
Hiwatari M, 748, 762
Hjermann I, 506
Hodgen GD, 1121
Hofbauer KG, 600, 829 (A-57)

Hoffman LH, 706
Hollenberg NK, 217, 819 (A-14)
Hollister AS, II-106
Holtz J, 37, 1003
Holtzclaw BJ, 56
Homcy CJ, 825 (A-39), 830 (A-59)
Hopp L, 379, 1050
Horan MJ, 178 (SR), 639 (L), I-1 (SR)
Horii K, I-151
Horký K, I-137
Hornung RS, 267
Hotta D, 951 (CR)
Hsueh WA, 76 (CC), II-78
Huang K-W, I-70
Hubbard JW, 1154
Hughes M, 737
Hui TP, 272
Hulse MC, 940
Hunt SC, 30
Husain A, 822 (A-27), I-79, I-95
Hysing E, I-66

I

Iannascoli F, I-174
Ibsen H, 655
Iijima Y, II-1
Iimura O, 951 (CR)
Ikeda M, 415, 883
Ikram H, II-11
Imada T, II-106
Imagawa J-I, 897
Imai Y, 223
Imura H, I-61, I-151
Inagami T, 560, 706, 748, 762, II-106
Ingelfinger JR, 544 (RC), 821 (A-25)
Ishii M, 818 (A-12)
Ishimitsu T, 818 (A-12)
Ito N, 142
Iwahashi H, 819 (A-15)
Iwai J, II-180

J

Jackman G, 16
Jackson B, 650, 832 (A-71)
Jackson EK, 391
Jackson JA, 483
Jans S, II-11
Jarrott B, 835 (A-83)
Jeffries WB, 830 (A-60)
Jelínek J, 1096 (BR)
Jennings G, 16
Jensen G, 821 (A-23)
Johns DW, 819 (A-16)
Johnson C, 1067
Johnson GA, 833 (A-72), 1105
Johnston CI, 650, 832 (A-71)
Jokelainen PT, 904
Jones JV, 433
Jorde LB, 243, 252
Joyner CR, I-156
Joyner WL, 827 (A-49)
Julius S, II-36

K

Kageyama K, 618
Kageyama Y, 833 (A-74)
Kalinyak JE, 820 (A-19)
Kanayama Y, 618
Kaneko Y, 1164
Kangawa K, I-151
Kasai Y, 748, 762
Kastin AJ, 198
Kati WM, 833 (A-72), 1105
Katz SH, 277, I-165
Kawabe H, I-84
Kawaguchi H, 192
Kawaguchi K, 828 (A-51)
Kawamura M, 706
Kawarabayashi T, 618
Keeton TK, 229
Keil LC, 890
Keiser HR, 471, 816 (A-4), 817 (A-7), 830 (A-61)
Kempf JS, 829 (A-58)
Kenney MA, 843
Kenny M, 1058
Kenyon CJ, 669
Khosla MC, I-101
Kido R, 819 (A-15)
Kieso H, 267
Kihara M, I-61, I-151
Kimura T, 748
Kino M, 379
Kinoshita Y, 618
Kinsel LB, 1058
Kirmani ZA, 843
Kiso Y, I-61, I-151
Kissane JM, 1113
Kjeldsen SE, 506
Klahr S, 1113
Kleinert HD, 312
Knox FG, 677
Koepke JP, 133
Kohlmann O, I-169
Kohno M, 618, 779
Kohzuki M, 748, 762
Koike H, II-1
Kokubu T, II-1
Koonce KL, 843
Kopin IJ, 471
Korner PI, 16, 109
Korslund MK, 843
Koshida H, 415
Kotchen TA, 56, 552 (L), 836 (A-88)
Koury K, 489
Kovar MG, 1067
Kowarski AA, 285
Kraft-Schreyer N, 822 (A-29)
Krakoff LR, 272
Krall JF, 203
Krause BR, I-180
Krieger EM, I-7, I-47, I-133, I-200
Krob EJ, 533
Krueger AD, 372
Kruger L, 712
Kubo SH, 3
Kuchel O, 825 (A-40), 940, I-137
Kudo K, 748, 762
Kuida H, 243
Kumamoto Y, 951 (CR)
Kuneš J, 1096 (BR)
Kuraja I, I-128
Kuriyama S, 817 (A-9)
Kurnjek ML, I-75, I-123
Kurtz TW, 359 (L), 833 (A-75), 1015
Kusaba-Suzuki M, 897
Kushner H, I-165
Kusukawa R, 779

L

Lachance C, I-137
Lam B, 823 (A-33)
Landahl S, 1044
Lande K, 506
Lang RE, 303, 817 (A-6), II-157
Lanier SM, 830 (A-59)
Lanou A, 1021
Lappe RW, 866
Laragh JH, 3, 312, 825 (A-42), 831 (A-65)
Lasker N, 1050
Lasseter K, 489
Lau K, 45
Lawson JA, 833 (A-72), 1105
Lawton W, 836 (A-87)
Lee DBN, 821 (A-23)
Lee JY, 372
Leffler CW, 62
Lehtonen A, 174 (CR)
Leijten P, II-89
Leitschuh M, 828 (A-54)
Lenfant C, I-1 (SR)
Leren P, 506
Letts G, II-44
Levenson J, I-174
Lever AF, 669
Levin ER, 533
Levin PA, 285
Levinson R, 422
Lewicki J, 826 (A-43)
Lewicki JA, 825 (A-42)
Lewis SJ, 835 (A-83)
Liang Y, 829 (A-56)
Lichtenstein AH, II-50
Lieberman E, 851
Liebman M, 843
Limas C, 566
Limas CJ, 566
Limbird LE, 830 (A-59)
Linas SL, 990
Linden J, 825 (A-41), 947 (RC)
Linder L, 824 (A-38)
Lindsey CJ, I-90
Ling WD, II-16
Littler WA, 1172
Liumsiricharoen M, 834 (A-76)
Llambí HG, I-128
Lockette W, 827 (A-50), II-61
Loeb AL, 754, 834 (A-80), 1135
Lombard JH, 827 (A-49)
Lombardi F, 50
Lopes OU, I-195
Lopez-Ovejero J, 3
Loscalzo J, II-174
Loutzenhiser R, 422
Luft FC, 303, II-127, II-157
Lüscher TF, 344, II-55, 835 (A-82)
Lustig S, 821 (A-23)
Lynch KR, 540 (RC), 820 (A-18)

M

Maack T, 312
Mace PJE, 1172
MacGregor GA, 433
Magargal WW, 816 (A-3), 818 (A-10)
Magee PFA, II-135
Maggi M, 813 (L)
Malfatto G, 50
Malliani A, 50
Mancia G, 147
Mancini M, 1084 (RC)
Mandel HG, 754
Manger W, 940
Mangiapane ML, 835 (A-84)
Man in 't Veld AJ, 167
Mannelli M, 813 (L)

Mantyh CR, 712
Mantyh PW, 712
Margolies MN, 825 (A-39)
Marion D, 312
Mark AL, 829 (A-58), 833 (A-73), 836 (A-87), II-21
Markandu ND, 433
Marks ES, 817 (A-7)
Martin AF, 128
Martin KJ, 1113
Marzec-Calvert R, 990
Masuyama Y, 819 (A-15)
Matsuda M, 779
Matsuda Y, 779
Matsueda GR, II-72
Matsuo H, I-151
Matsuzaki M, 779
Matthews PG, 650
Mayhan WG, 828 (A-53)
Mazack EK, 211
McCarron DA, 497, 1058
McClung DE, 975
McCoy CE, 298
McCoy H, 843
McGiff JC, 823 (A-31)
McGowan RA, 874
McGrath BP, 650
McIndoe RA, 592
McKenzie JC, 706
McMahon EG, 128
McNay JL, 229
Meininger GA, 66
Ménard J, II-72
Mendelsohn FAO, 835 (A-83)
Mento P, 822 (A-26)
Merrill DC, 332
Meyer P, 632
Meyer-Sabellek WA, 859
Michelini LC, I-200
Michels VV, 827 (A-47)
Mickiewicz C, 489
Miilunpalo S, 174 (CR)
Mikami H, I-95
Mikulic L, I-75, I-123
Milani B, 983
Miller E, 820 (A-18)
Miller JZ, 154, II-127
Mills SD, 533
Minari M, 983
Miotto D, 962 (L)
Miravalles E, 677
Mito T, 951 (CR)
Miura T, 779
Miyamori I, 415
Miyazaki M, 560
Moak SW, 843
Moelbak A-G, 655
Moes DM, 1075
Moffett RB, 874
Mohr JP, 349 (CC)
Montastruc J-L, I-66
Montastruc P, I-66
Moorehead C, 823 (A-30)
Moreira ED, I-47
Morgan DA, 833 (A-73), II-21
Morii N, I-61, I-151
Morin AM, 821 (A-24)
Morisawa Y, II-1
Morise T, 415
Moritani K, 779
Morray RL, 489
Morris CD, 497, 1058
Morris DJ, I-187
Morris M, II-168
Morris RC Jr, 359 (L), 833 (A-75), 1015
Motoyama T, 828 (A-51)
Muirhead EE, 823 (A-32), I-38, II-117
Mulinari R, I-169
Mullane K, 834 (A-79)
Müller FB, 3, 824 (A-38)
Mulrow PJ, 997, 1149
Mulvany MJ, 832 (A-70)
Murakami E, II-1
Murphy JK, 1075
Myers JH, 904

N

Nabika T, 829 (A-55)
Naftilan AJ, II-174
Nagae A, II-1
Nagai K, 415
Nakamura M, 142
Nakao K, I-61, I-151
Nakata T, 951 (CR)
Nakayama K, 606
Nally JV Jr, 685
Nara Y, 829 (A-55)
Naruse K, 951 (CR)
Nathan MA, 1154
National Heart, Lung, and Blood Institute, 444 (SR)
Nicholls MG, II-11
Nielsen F, 655
Nielsen MD, 655
Nies AS, 737
Nihei M, 223
Nii T, 834 (A-77)
Nishimura H, 835 (A-81)
Nishimura K, I-151
Nishio I, 819 (A-15)
Novotný J, II-72
Nowotny P, 1040
Nunnari JM, 830 (A-59)
Nussberger J, 476, II-96

O

Oddie C, 16
Odell G, 312
Ogawa H, 779
Ogihara T, 951 (CR)
Ohnishi A, 391
Okamoto H, 415
Okamura T, 560
Oku H, 618
Okunishi H, I-114
Olpe HR, 829 (A-57)
Omata K, 748, 762
Onrot J, II-106
Oparil S, 834 (A-76)
Opgenorth TJ, II-112
Ordog GJ, 1179 (L)
Os I, 506
Osikowska BA, 641
Osmond DH, II-84
Osol G, 606
Ota Z, 386, 1027
Otsuka Y, 827 (A-50), II-61
Ott CE, 56, 552 (L), 836 (A-88)
Otterbein ES, II-96
Overbeck HW, 816 (A-3), 818 (A-10)
Ozaki L, 203

P

Paiva ACM, I-90
Paller MS, 821 (A-22)
Pals DT, 833 (A-72), 1105
Pamnani M, 816 (A-5)
Papaioannou SE, 372
Parati G, 147
Parenti P, 932
Parkinson CA, 154
Parks JS, 277
Parmentier M, 706
Paul O, 733 (E)
Paul RJ, 128
Pauletto P, 1143
Pawloski CM, 835 (A-84)
Paya C, 677
Peach MJ, 819 (A-16), 820 (A-18), 834 (A-80)
Pedrinelli R, 786
Pérez JM, I-105
Perlman AJ, 820 (A-19)
Pernollet M-G, 632
Pesigan M, 45
Pessina AC, 962 (L), 1143
Petrovic T, 122
Pettinger WA, 323, 830 (A-60)
Peuler JD, 833 (A-73)
Phillips MI, 820 (A-21)
Pinto A, 834 (A-79)
Piomelli D, 834 (A-79)
Platia MP, 1121
Ploth DW, 1127
Pohl U, 37
Pomidossi G, 147
Ponte PA, II-78
Pontieri V, I-195
Porchet M, II-96
Portale AA, 1015
Potter JF, 625
Potvin WJ, 685
Pratt JH, 154
Pratt RE, 544 (RC), 819 (A-17), 821 (A-25)
Preibisz JJ, 831 (A-65)
Prineas RJ, 11
Printz MP, 820 (A-20)
Pupilli C, 813 (L)
Purkerson ML, 1113

Q

Quilley J, 823 (A-31)

R

Rabito SF, I-110
Racz K, 825 (A-40), I-137
Rademacher R, 1127
Raftery EB, 267
Raij L, 835 (A-82), I-30
Raine AEG, 824 (A-38)
Raizada MK, 820 (A-21)
Ramos O, I-169
Rapp JP, 1149
Reams GP, 238, 290
Regoli D, 831 (A-66)
Reid IA, 890
Reilly SL, 827 (A-47)
Reis DJ, I-56
Repaske MG, 830 (A-59)
Resink TJ, 159, 662, 824 (A-38)

Resnick LM, 831 (A-65)
Ribeiro A, I-169
Richards AM, 826 (A-46)
Richie J, 819 (A-17)
Robertson D, II-106
Robertson JIS, 826 (A-46)
Robles RG, 677
Rocchini AP, 823 (A-30)
Rodicio J, 677
Roecker L, 859
Rohmeiss P, II-157
Roman RJ, 830 (A-62)
Romero JC, 677, II-112
Rosa RM, 438
Rose HG, 793
Rosenfeld J, 632
Rossi G, 962 (L)
Rowe BP, 772
Rowe JW, 438
Ruilope LM, 677
Ruiz P, I-75, I-123
Ruscone TG, 50
Rydell D, 45
Rydstedt LL, 217

S

Saarinen R, 174 (CR)
Safar ME, I-174
Sagnella GA, 433
Saito K, 828 (A-51)
Sakamoto M, I-61, I-151
Sala C, 825 (A-42)
Salas SP, I-161
Salazar J, II-112
Salgado HC, I-133
Salgado MCO, I-110
Salvetti A, 786
Sancho-Rof J, 677
Sano H, 828 (A-51)
Sarubbi D, 823 (A-31)
Saruta T, I-95
Sasaki O, 1164
Sasaki S, 223
Sato K, 223
Sato M, 748, 762
Satoh S, 897
Saunders M, 685
Saye J, 819 (A-16)
Scannapieco G, 1143
Schalekamp MADH, 167
Scherf H, 737
Schiavone MT, I-79
Schiebinger RJ, 825 (A-41)
Schiffrin EL, 826 (A-45), I-141, II-6
Schulte K-L, 859
Schwartz E, 793
Schweitzer P, 793
Schwertschlag U, 737
Sealey JE, 831 (A-65)
Searle BM, 379
Seidel CL, 103
Seidman JG, 549 (RC), 825 (A-39)
Sekino H, 223
Sempos C, 1067
Sen S, 918
Seppälä P, 174 (CR)
Serio M, 813 (L)
Sever PS, 641
Seymour AA, 211
Shannon RP, 438
Sharma RV, 583
Shenker Y, II-16
Shimamoto K, 951 (CR)
Shimokura M, I-61, I-151
Shinagawa T, II-78
Shine J, II-78
Shneidman R, 497
Shoemaker RL, 816 (A-3)
Shore AC, 433
Siani A, 1084 (RC)
Sigurdsson JA, 1044
Simnad VI, 540 (RC)
Simon AC, I-174
Simon G, 818 (A-13)
Simpson KA, 831 (A-64)
Sing CF, 827 (A-47), 904
Sinkey CA, 829 (A-58), 836 (A-87)
Skan W, 625
Skelton MM, 332
Skidgel RA, I-34
Skjøtø J, 506
Sleight P, 641
Smeby RR, I-95
Smith CL, 11
Smith JB, 30
Smith SA, 1172
Smith SG, 211
Smith SH, 700
Smyth DD, 323
Soltis EE, 526, 827 (A-48), 1032, I-52
Somes GW, 1075
Sommer O, 1003
Soppi E, 174 (CR)
Sowers JR, 56
Sperti G, 836 (A-85)
Speth RC, 822 (A-27)
Spragg J, I-114
Sripairojthikoon W, 834 (A-76)
Stallings SF, 843
Stallone JN, 835 (A-81)
Steakley CS, 830 (A-61)
Steinberg GM, 178 (SR)
Stekiel WJ, 827 (A-49)
Stephens GA, I-101
Stephens PM, I-119
Stern N, 203, 821 (A-23)
Stewart DJ, 1003
Stewart JM, 971
St-Louis J, I-141
Straw JA, 754
Strazzullo P, 357 (L), 1084 (RC)
Strong R, 103
Stull R, 471, 816 (A-4)
Sugawara A, I-61, I-151
Sugimoto T, 818 (A-12)
Sullivan PA, 611
Sumitani M, I-200
Sundberg DK, II-168
Sunderrajan S, 238
Suzuki H, 828 (A-51), I-95
Svanborg A, 1044
Svärdsudd K, 1044
Sved AF, 742
Swales JD, 483, 832 (A-70)
Sylvestre D, 825 (A-39)
Szilagyi J, I-70

T

Tachman M, 552 (L)
Tacinelli L, 983
Taddei S, 786
Takeda R, 415
Takeda T, 618
Takeda Y, 415
Takeshita A, 142
Takeuchi K, 618, 748, 762
Talenti E, 962 (L)
Tam H, II-78
Tam LT, 830 (A-60)
Tamaki K, 911
Tamura H, 379
Tanaka I, 706, II-106
Tanaka M, 592
Tanno M, 748, 762
Tapia E, I-105
Taquini AC, I-123
Taquini CM, I-128
Tarazi RC, I-191, II-187
TerWee JA, 975
Tesfamariam B, 606
Thaisrivongs S, 833 (A-72), 1105
Thibault G, 826 (A-44), I-137, I-141, II-6
Thiede H-M, 859
Thiene G, 962 (L)
Thompson LP, I-146
Thorén P, II-21
Thurston H, 483
Tillman D, 826 (A-46)
Timmermans PBMWM, 965 (E)
Tkachuk VA, 159
Tobian L, II-180
Tochikubo O, 1164
Toda N, 560
Todt JA, 866
Tokushige A, 379
Toma Y, 779
Tomita M, 883
Tonolo G, 826 (A-46)
Torres G, I-105
Touam A, 632
Tresco PA, I-187
Trolliet MR, I-75, I-123
Tropp I, 45
Tsuda K, 819 (A-15)
Tuck ML, 203, 821 (A-23)
Turla MB, 832 (A-69)
Turner MC, 851
Turner SR, 833 (A-72), 1105
Turner ST, 827 (A-47)

U

Uehara Y, 818 (A-12), II-180
Umemura S, 323, 1164
Underwood R, 819 (A-14)
Unger T, 303, 817 (A-6), II-157

V

Valdés G, I-161
van Breemen C, II-89
van Brummelen P, 801
van den Meiracker AH, 167
Vander AJ, I-119
van der Krogt JA, 801
van Eck HJR, 167
van Es PN, 836 (A-86)
Vanhoutte PM, 344, 835 (A-82), II-55
Van Loon G, 836 (A-88)
Vann Jones J, 641
Vari RC, II-28
Vavrek RJ, 971
Veelken R, 303

Velasco IT, I-195
Verberne AJ, 835 (A-83)
Verburg KM, II-28
Vermeij P, 801
Vermey P, 836 (A-86)
Vesanen K, 824 (A-34)
Vescovo G, 1143
Victor RG, II-21
Vierhapper H, 1040
Viikari J, 174 (CR)
Villarreal D, II-28
Vincenzi FF, 1058
Vita NA, 489
Vlasuk G, 826 (A-43)
Volpe M, 312

W

Waeber B, 117, 476, II-96
Wakefield T, 843
Waldhäusl W, 1040
Wallin BG, 829 (A-58)
Walsh GM, 372
Walter H, 533
Walter SV, 520
Waltman FL, 810 (CR)
Ward PE, 817 (A-8), 831 (A-66)
Washington JM, 820 (A-18)
Wasserberger J, 1179 (L)
Watson RDS, 625
Watt R, 669
Webb RC, 832 (A-69), 904, I-119, I-146
Webber LS, 24
Weber E, I-156
Wei JY, 438
Weidman WH, 827 (A-47)
Weidmann P, 407
Weinberg D, 606
Weinberger MH, II-127
Wendt RL, 866
Wenting GJ, 167
Wentz E, 823 (A-30)
Westheim A, 506
Whitescarver SA, 56, 552 (L), 836 (A-88)
Wier WG, 816 (A-2)
Wilczynski EA, II-84
Wilkes B, 822 (A-26)
Williams GH, 217, 819 (A-14)
Williams RR, 30, 243, 252
Williamson JR, II-140
Windham JP, 685
Wise GM, 836 (A-85)
Woittiez AJJ, 167
Wong C, 650
Wong PY-K, 823 (A-33)
Wood JM, 600
Woods RL, 109
World Health Organization/International Society of Hypertension, 957 (SR)
Wright CE, 361
Wyss JM, 834 (A-76)

Y

Yabe Y, II-1
Yalow RS, 793
Yamaguchi K, 835 (A-81)
Yamamoto H, II-89
Yamori Y, 829 (A-55), I-61, I-151
Yandle TG, II-11
Yang P-C, 372
Yasuda H, 192
Yasuhara S, 415
Yasujima M, 748, 762
Yasunari K, 618
Yates J, 1113
Yates MB, 66
Yeager K, 272
Yetley E, 1067
Yoshimura T, 618
Yoshinaga K, 223, 748, 762
Young DR, 918

Z

Zadik Z, 285
Zambraski EJ, 925
Zanchetti A, 147
Zantvoort FA, 167
Zawada ET Jr, 975
Zemel BS, 277
Zicha J, 1096 (BR)
Zikos D, 45
Zimlichman R, 471, 816 (A-4)
Zimlichman S, 816 (A-4)
Zingraff J, 632
Zisfein JB, 825 (A-39)
Zukowska-Grojec Z, 817 (A-7)
Zusman RM, 837 (E)

Index to Volume 8

HYPERTENSION JANUARY-DECEMBER 1986

SUBJECT INDEX

Key to abbreviations: A = abstract; BR = brief review; CC = clinical conference; CR = case report; E = editorial; L = letter; PV = point of view; RC = rapid communication; SR = special report. Roman numerals preceding page numbers indicate articles published in supplements.

A

Abstracts, Council for High Blood Pressure Research
Abstracts of the Council for High Blood Pressure Research 40th Annual Fall Conference and Scientific Sessions, 815
Acetylcholine
Effects of hypertension and hypercholesterolemia on vasodilatation in the rabbit, 361
Endothelium-dependent contractions to acetylcholine in the aorta of the spontaneously hypertensive rat, 344
The loss of endothelium-dependent vascular relaxation in hypertension, II-61
Acidosis
Unusual association of hyperkalemia and hypertension, 174 (CR)
Adenoma
New insights into the medical management of primary aldosteronism, 76 (CC)
Adenosine
Effects of hypertension and hypercholesterolemia on vasodilatation in the rabbit, 361
Hemodynamic effects of adenosine in conscious hypertensive and normotensive rats, 391
Adenosine diphosphate
Endothelium-dependent responses to platelets and serotonin in spontaneously hypertensive rats, II-55
Adenosine triphosphatase
Alterations in the plasma membrane properties of the myocardium of spontaneously hypertensive rats, 583
Decreased calcium pump adenosine triphosphatase in red blood cells of hypertensive subjects, 1058
Adenylate cyclase
Enhanced platelet cyclic AMP response to prostaglandin E_1 in essential hypertension, 662
Adolescents
Blood pressure, body fat, and dehydroepiandrosterone sulfate variation in adolescence, 277
Factors related to blood pressure in a biracial adolescent female population, 843
Management of hypertension in high school students by using new salt titrator tape, 1164
Adrenalectomy
Hypertensinogenic activities of ring A–reduced metabolites of aldosterone, I-187
Adrenal gland
A case of adrenal tumor producing renin, aldosterone, and sex steroid hormones, 951 (CR)
Dopaminergic binding and inhibitory effect in the bovine adrenal zona glomerulosa, 203
Mechanisms by which nephrectomy stimulates adrenal renin, 997
Regulation of primate angiotensin II receptors during altered sodium intake, 1121
Suppression of adrenal renin in Dahl salt-sensitive rats, 1149
Vascular and adrenal binding sites for atrial natriuretic factor: effects of sodium and hypertension, I-141
Adrenergic receptor blockade
α_1-Adrenergic blockade and cardiovascular pressor responses in essential hypertension, 407
The adrenergic system and the release and pressor action of vasopressin, II-163
Does vasopressin sustain blood pressure in conscious spontaneously hypertensive rats? 514
Effects of hypertension and of antihypertensive therapy on atherosclerosis. State of the art lecture, I-15
Effects of propranolol on the impulse activity of cardiovascular sympathetic afferent fibers, 50
Inaccuracy in the home use of automated blood pressure cuffs by hypertensive patients being treated with β-blockers, 1179 (L)
Increased plasma vasopressin in low renin essential hypertension, 506
Vasodilator effect of a new adrenergic receptor drug, medroxalol, on hypertensive forearm vessels, I-174
α-Adrenergic receptors
α_1-Adrenergic blockade and cardiovascular pressor responses in essential hypertension, 407
Alterations in the plasma membrane properties of the myocardium of spontaneously hypertensive rats, 583
Central adrenergic receptor control of renal function in conscious hypertensive rats, 133
Differential effects of norepinephrine and phorbol ester on alpha-adreneric receptor coupling and translocation in DDT-MF1 cells, 836 (A-85)
Diuretic treatment alters clonidine suppression of plasma norepinephrine, 272
Effect of urapidil, clonidine, and prazosin on sympathetic tone in conscious rats, 303
Effects of desipramine on the cardiovascular responses to clonidine and guanabenz, I-184
Estimation of intrasynaptic norepinephrine concentrations in humans, 471
How does salt raise blood pressure? A hypothesis, 83 (PV)
In vitro secretion of immunoreactive tonin from dispersed rat submandibular gland cells, 883
Photoaffinity labeling of the porcine brain alpha$_2$-adrenergic receptor using a radioiodinated arylazide derivative of rauwolscine: identification of the hormone binding subunit, 830 (A-59)
Postsynaptic α_1- and α_2-adrenergic receptors in adrenergic control of capacitance vessel tone in vivo, 1003
Prazosin-induced supersensitivity of renal α_2-adrenoceptors (α_2-A), 830 (A-60)
Renal α_2-adrenergic receptors multiply and mediate sodium retention after prazosin treatment, 323
Role of alpha-1 and alpha-2 receptors in the human hypertensive kidney, 836 (A-86)
β-Adrenergic receptors
Dopamine selectively inhibits aldosterone responses to angiotensin II in humans, 399
α-Adrenergic stimulation
Vascular responses to ouabain and norepinephrine in low and normal renin hypertension, 786
Adrenocorticotropic hormone
Adrenocorticotropin responses to corticotropin releasing factor and vasopressin in spontaneously hypertensive rats, 386
Brain corticotropin releasing factor in the spontaneously hypertensive rat, 1027

Cushing's syndrome and hypertension, 258 (CC)
Dexamethasone-suppressible hyperaldosteronism: adrenal transition cell hyperplasia? 669
Dopamine selectively inhibits aldosterone responses to angiotensin II in humans, 399
Mechanisms by which nephrectomy stimulates adrenal renin, 997
Role of dopamine in the inhibition of vasopressin secretion by L-dopa in carbidopa-treated dogs, 890

Age
Definitions and characteristics of sodium sensitivity and blood pressure resistance, II-127
Experimental hypertension in young and adult animals, 1096 (BR)

Aging
Addendum to summary of NIH workshop on blood pressure regulation and aging, 639 (L)
Age-related changes in blood pressure, 1044
The effect of age and sodium depletion on cardiovascular response to orthostasis, 438
Summary of NIH workshop on blood pressure regulation and aging, 178 (SR)

Alcohol
Factor analysis suggesting contrasting determinants for different blood pressure measurements, 243
Nonpharmacological approaches to the control of high blood pressure: final report of the Subcommittee on Nonpharmacological Therapy of the 1984 Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure, 444 (SR)
The pressor and metabolic effects of alcohol in normotensive subjects, 625

Aldosterone
Aldosterone excretion rates in children and adults during sleep, 154
Are hypertensive effects of aldosterone, angiotensin, vasopressin, and norepinephrine chronically additive? 332
A case of adrenal tumor producing renin, aldosterone, and sex steroid hormones, 951 (CR)
Detection of primary aldosteronism by the 6-hour integrated aldosterone/renin ratio, 285
Dopamine selectively inhibits aldosterone responses to angiotensin II in humans, 399
Dopaminergic binding and inhibitory effect in the bovine adrenal zona glomerulosa, 203
Hypertensinogenic activities of ring A–reduced metabolites of aldosterone, I-187
Hypertensive potency of 18-oxocortisol in the rat, 317
Isomyosin transitions in ventricles of aldosterone-salt hypertensive rats, 128
The neurogenic response to 55-degree head-up tilt in normal pregnant women, I-161
Prolonged administration of human atrial natriuretic peptide in healthy men: reduced aldosteronotropic effect of angiotensin II, 1040
Regulation of primate angiotensin II receptors during altered sodium intake, 1121
Suppression of adrenal renin in Dahl salt-sensitive rats, 1149
Syndrome of hypertension and hyperkalemia with normal glomerular filtration rate, 93 (BR)
Vascular and adrenal binding sites for atrial natriuretic factor: effects of sodium and hypertension, I-141
Vascular responses to ouabain and norepinephrine in low and normal renin hypertension, 786

Aldosteronism
Calcium channel blockade with nifedipine in primary aldosteronism, I-191
New insights into the medical management of primary aldosteronism, 76 (CC)

Amputees
Insulin as a potential factor influencing blood pressure in amputees, 793

Androgens, adrenal
Blood pressure, body fat, and dehydroepiandrosterone sulfate variation in adolescence, 277

Angiotensin (*see also* Renin-angiotensin system)
Cell biology of the brain angiotensin system: role of glia and evidence for a convertase or degrading pathway, 820 (A-20)
Synthesis of brain angiotensin in glial cells and neurons: a novel pathway, 820 (A-21)

Angiotensin I
Characterization of angiotensin I in turtle plasma, I-101
Converting enzyme inhibitors decrease kininase but not converting activity in the rat mesenteric vascular bed, I-90
Specific measurement of angiotensin metabolites and in vitro generated angiotensin II in plasma, 476
The unusual substrate specificity and the distribution of human angiotensin I converting enzyme, I-34

Angiotensin II
α_1-Adrenergic blockade and cardiovascular pressor responses in essential hypertension, 407
Angiotensin II increases cytosolic calcium and stimulates catecholamine release in adrenomedullary cells, 816 (A-4)
Angiotensin II-induced vascular relaxation, 835 (A-81)
Angiotensin II receptors in the nucleus tractus solitarius are reduced after nodose ganglionectomy or vagotomy, 835 (A-83)
Are hypertensive effects of aldosterone, angiotensin, vasopressin, and norepinephrine chronically additive? 332
Captopril, blood pressure, and vascular reactivity in psychosocial hypertensive mice, I-119
A case of adrenal tumor producing renin, aldosterone, and sex steroid hormones, 951 (CR)
Central angiotensin II mechanisms and the sodium pump, 829 (A-56)
Converting enzyme inhibitors decrease kininase but not converting activity in the rat mesenteric vascular bed, I-90
Cyclosporin-induced hyperreninemic hypoaldosteronism: a model of adrenal resistance to angiotensin II, 821 (A-23)
Dopamine selectively inhibits aldosterone responses to angiotensin II in humans, 399
Effect of atrial natriuretic factor on angiotensin II–induced hypertension in rats, 748
Effects of angiotensin inhibition and renal denervation in two-kidney, one clip hypertensive rats, 1127
Effects of converting enzyme inhibition on split renal function in renovascular hypertension, 415
The influence of indomethacin on blood pressure during the infusion of vasopressors, 772
Mechanisms by which nephrectomy stimulates adrenal renin, 997
Nonrenal factors contribute to plasma and cerebrospinal fluid angiotensin II, I-95
Preferential inhibitory effect of nifedipine on angiotensin II–induced renal vasoconstriction, 897
Prolactin, prostaglandins and pressor responsiveness to angiotensin II in pregnancy, 821 (A-22)
Prolonged administration of human atrial natriuretic peptide in healthy men: reduced aldosteronotropic effect of angiotensin II, 1040
Regulation of adrenal angiotensin II, renin and angiotensin II receptors, 822 (A-27)
Regulation of primate angiotensin II receptors during altered sodium intake, 1121
Renal and systemic effects of enalapril in chronic one-kidney hypertension, 109
Renomedullary system of blood pressure control, I-38
Role of brain dopamine in centrally evoked angiotensin II responses in conscious rats, I-84
Specific measurement of angiotensin metabolites and in vitro generated angiotensin II in plasma, 476
Subpressor infusions of angiotensin II in rats enhance binding and diminish eicasinoid and cyclic AMP production by the glomerulus, 822 (A-28)
The unusual substrate specificity and the distribution of human angiotensin I converting enzyme, I-34
Veratrine promotes release of angiotensinogen during ventriculocisternal perfusion, I-79

Angiotensin converting enzyme inhibitors (*see* Converting enzyme inhibitors)

Angiotensin metabolites
Specific measurement of angiotensin metabolites and in vitro generated angiotensin II in plasma, 476
Angiotensinogen
The central and peripheral renin-angiotensin system in reserpine-treated rats, I-75
Effect of guanethidine on the development of two-kidney, two clip renal hypertension, I-123
Evidence for the local synthesis of angiotensinogen (A) in rat aorta, 821 (A-24)
Regulation of angiotensinogen gene in rat hepatoma cell line, 820 (A-19)
Veratrine promotes release of angiotensinogen during ventriculocisternal perfusion, I-79
Angiotensinogen messenger RNA
Angiotensinogen mRNA in cultured cells, 820 (A-18)
Identification of renin and angiotensinogen messenger RNA sequences in mouse and rat brains, 544 (RC)
Localization of preangiotensinogen messenger RNA sequences in the rat brain, 540 (RC)
Animal studies, cat
Effects of propranolol on the impulse activity of cardiovascular sympathetic afferent fibers, 50
Response of cerebral arteries to sympathetic stimulation during acute hypertension, 911
Animal studies, dog
Are hypertensive effects of aldosterone, angiotensin, vasopressin, and norepinephrine chronically additive? 332
Blockade of central calcium channels induces hypertension in dogs, I-66
Cardiovascular effects of atrial natriuretic factor in anesthetized and conscious dogs, 312
A comparison of synthetic rat and human atrial natriuretic factor in conscious dogs, 211
Crucial role of endothelium in the vasodilator response to increased flow in vivo, 37
Cultured monolayers as model systems for ion transport across epithelial and endothelial membranes. State of the art lecture, I-22
Effect of captopril on ^{99m}Tc-diethylenetriaminepentaacetic acid renograms in two-kidney, one clip hypertension, 685
Effects of brain renin on hemodynamic function and fluid and electrolyte balance, I-70
Extrarenal prorenin in plasma requires an activator of renal origin, II-84
Hemodynamic effects of platelet activating factor in the dog kidney in vivo, 737
Hypertonic sodium chloride restores mean circulatory filling pressure in severely hypovolemic dogs, I-195
Long-term hypotensive and renal effects of atrial natriuretic peptide, II-112
Nonrenal factors contribute to plasma and cerebrospinal fluid angiotensin II, I-95
Postsynaptic α_1- and α_2-adrenergic receptors in adrenergic control of capacitance vessel tone in vivo, 1003
Preferential inhibitory effect of nifedipine on angiotensin II–induced renal vasoconstriction, 897
Renal and systemic effects of enalapril in chronic one-kidney hypertension, 109
Renal mechanisms for suppression of renin secretion by atrial natriuretic factor, II-28
Role of dopamine in the inhibition of vasopressin secretion by L-dopa in carbidopa-treated dogs, 890
Systemic and renal vascular responses to dietary calcium and vitamin D, 975
Animal studies, guinea pig
Localization of specific binding sites for atrial natriuretic factor in peripheral tissues of the guinea pig, rat, and human, 712
Animal studies, marmoset
Monoclonal antibodies against human renin: blood pressure effects in the marmoset, 600
Animal studies, monkey
An orally active inhibitor of renin, 1105
Regulation of primate angiotensin II receptors during altered sodium intake, 1121
Animal studies, mouse
Captopril, blood pressure, and vascular reactivity in psychosocial hypertensive mice, I-119
Identification of renin and angiotensinogen messenger RNA sequences in mouse and rat brains, 544 (RC)
Animal studies, pig
Immunoreactive atrial natriuretic hormone levels increase in deoxycorticosterone acetate–treated pigs, II-16
Animal studies, rabbit
Effects of hypertension and of antihypertensive therapy on atherosclerosis. State of the art lecture, I-15
Effects of hypertension and hypercholesterolemia on vasodilatation in the rabbit, 361
The influence of indomethacin on blood pressure during the infusion of vasopressors, 772
Animal studies, rat (*see also* Dahl rats, Milan hypertensive rats, Spontaneously hypertensive rats, Stroke-prone spontaneously hypertensive rats)
The adrenergic system and the release and pressor action of vasopressin, II-163
Atrial natriuretic factor and cyclic guanosine 3′,5′-monophosphate in vascular smooth muscle, 762
Biochemical and immunochemical studies of supraoptic and paraventricular cultures, II-168
Blood kinin in one-kidney, one clip hypertensive rats, I-110
Catecholamines in kidneys of normotensive and genetically hypertensive rats: effects of salt load, 122
Central action of sodium chloride on blood pressure and vascular responsiveness in the rat, I-52
The central and peripheral renin-angiotensin system in reserpine-treated rats, I-75
Changes in rat ventricular isomyosins with regression of cardiac hypertrophy, 1143
Comparison of 1-hour and 24-hour blood pressure recordings in central or peripheral baroreceptor–denervated rats, 1154
Differential modulation of the baroreceptor reflex by brain and plasma vasopressin, II-157
Effect of atrial natriuretic factor on angiotensin II–induced hypertension in rats, 748
Effect of guanethidine on the development of two-kidney, two clip renal hypertension, I-123
Effects of angiotensin inhibition and renal denervation in two-kidney, one clip hypertensive rats, 1127
Effects of deoxycorticosterone-salt hypertension on cell ploidy in the rat aorta, II-50
Effects of different periods of high sodium diet in the two-kidney, one clip hypertension model, I-128
Effects of hypertension and of antihypertensive therapy on atherosclerosis. State of the art lecture, I-15
Effects of water deprivation and sodium load on atrial natriuretic polypeptide in rat brain, I-61
Experimental hypertension in young and adult animals, 1096 (BR)
Extracellular calcium and altered vascular responsiveness in the deoxycorticosterone acetate–salt rat, 526
Hemodynamic characteristics of the intestinal microcirculation in renal hypertension, 66
Hypertensive effect of a bradykinin antagonist in normotensive rats, 1089 (RC)
Hypertensive potency of 18-oxocortisol in the rat, 317
Identification of renin and angiotensinogen messenger RNA sequences in mouse and rat brains, 544 (RC)
Increased aortic DNA synthesis precedes renal hypertension in rats: an obligatory step? 754
In vitro secretion of immunoreactive tonin from dispersed rat submandibular gland cells, 883
Isomyosin transitions in ventricles of aldosterone-salt hypertensive rats, 128

The liver converts the antihypertensive hormone of the kidney: the renohepatic axis, II-117
Localization of preangiotensinogen messenger RNA sequences in the rat brain, 540 (RC)
Localization of specific binding sites for atrial natriuretic factor in peripheral tissues of the guinea pig, rat, and human, 712
Long-term analysis of aortic dynamics in growing conscious rats, I-200
The loss of endothelium-dependent vascular relaxation in hypertension, II-61
Mechanical and renin-angiotensin system components in acute aortic coarctation hypertension, I-133
Mechanism of glomerular permeability reduction in nonclipped kidney of rats with Goldblatt hypertension, I-105
Mechanisms by which nephrectomy stimulates adrenal renin, 997
Metabolism and storage of catecholamines in rats with pheochromocytoma implants, 940
Modulation of kidney renin messenger RNA levels during experimentally induced hypertension, 874
Neurogenic mechanisms in hypertension: resetting of the baroreceptors. State of the art lecture, I-7
Neurons of the C1 area of rostral ventrolateral medulla mediate nucleus tractus solitarii hypertension, I-56
An orally active inhibitor of renin, 1105
Peripheral pressor systems in hypertension caused by nucleus tractus solitarius lesions, 742
Prehypertensive changes in sodium transport induced by deoxycorticosterone acetate in incubated rat tail artery, 592
Reflex and central components of carotid occlusion in conscious rats: effect of lesion of the medial forebrain bundle, I-47
Renal α_2-adrenergic receptors multiply and mediate sodium retention after prazosin treatment, 323
Role of brain dopamine in centrally evoked angiotensin II responses in conscious rats, I-84
Role of sodium in modulation of myocardial hypertrophy in renal hypertensive rats, 918
Selection criteria for drug-treated animals in two-kidney, one clip renal hypertension, 700
Sodium pump activity and calcium relaxation in vascular smooth muscle of deoxycorticosterone acetate–salt rats, 1032
The storage form of renin in renin granules from rat kidney cortex, 706
Vascular and adrenal binding sites for atrial natriuretic factor: effects of sodium and hypertension, I-141
Vascular renin-angiotensin system in two-kidney, one clip hypertensive rats, 560
Vascular responsiveness to atriopeptin III in mineralocorticoid hypertensive rats, I-146
Vasodepressor role of endogenous bradykinin assessed by a bradykinin antagonist, 971

Animal studies, sheep
Dopaminergic binding and inhibitory effect in the bovine adrenal zona glomerulosa, 203
Effects of sodium chloride on pregnant sheep with reduced uteroplacental perfusion pressure, 62

Animal studies, swine
Effects of acute renal denervation on kidney function in deoxycorticosterone acetate–hypertensive swine, 925

Animal studies, turtle
Characterization of angiotensin I in turtle plasma, I-101

Antibodies
Monoclonal antibodies against human renin: blood pressure effects in the marmoset, 600
Study of the antigenic determinants of human renin, II-72

Antihypertensive agents
α_1-Adrenergic blockade and cardiovascular pressor responses in essential hypertension, 407
Age-related changes in blood pressure, 1044
Alternatives to traditional antihypertensive therapy, 837 (E)
Antihypertensive and metabolic effects of diltiazem and nifedipine, 859
Antihypertensive drugs inhibit hypertension-associated aortic DNA synthesis in the rat, 1135
Biotechnology and the pharmaceutical industry: new cardiovascular drugs, 965 (E)
Effect of weight loss on blood pressure and drug consumption in normal weight patients, 223
Effects of altered plasma lipoprotein profile on antihypertensive drug efficacy, I-180
Effects of hypertension and of antihypertensive therapy on atherosclerosis. State of the art lecture, I-15
Efficacy of antihypertensive drug treatment according to age, sex, blood pressure and prior cardiovascular disease in patients over the age of 60, 824 (A-35)
Electrocardiographic changes during antihypertensive therapy in the International Prospective Primary Prevention Study in Hypertension (IPPPSH), 824 (A-34)
1986 Guidelines for the treatment of mild hypertension: memorandum from the WHO/ISH, 957 (SR)
Hemodynamic effects of adenosine in conscious hypertensive and normotensive rats, 391
Renomedullary system of blood pressure control, I-38
Role of hypertension in progressive glomerular injury in glomerulonephritis, I-30
Role of sodium in modulation of myocardial hypertrophy in renal hypertensive rats, 918
Selection criteria for drug-treated animals in two-kidney, one clip renal hypertension, 700

Antihypertensive neutral renomedullary lipid
Antihypertensive actions of glyceryl compounds: relation to the antihypertensive neutral renomedullary lipid, 823 (A-32)
The liver converts the antihypertensive hormone of the kidney: the renohepatic axis, II-117

Aorta
Antihypertensive drugs inhibit hypertension-associated aortic DNA synthesis in the rat, 1135
Effects of deoxycorticosterone-salt hypertension on cell ploidy in the rat aorta, II-50
Long-term analysis of aortic dynamics in growing conscious rats, I-200
Neurogenic mechanisms in hypertension: resetting of the baroreceptors. State of the art lecture, I-7
Platelet-activating factor stimulates prostaglandin synthesis in cultured cells, 192

Aortic coarctation hypertension
Mechanical and renin-angiotensin system components in acute aortic coarctation hypertension, I-133

Aqueous phase systems
Partitioning of erythrocytes from spontaneously hypertensive and Wister-Kyoto rats, 533

Arachidonic acid
Biological actions of leukotrienes. State of the art lecture, II-44
Diabetes, blood pressure and renal responses to arachidonic acid, 823 (A-31)
Platelet-activating factor stimulates prostaglandin synthesis in cultured cells, 192

Arginine vasopressin (*see also* Vasopressin)
Differential modulation of the baroreceptor reflex by brain and plasma vasopressin, II-157
Does vasopressin sustain blood pressure in conscious spontaneously hypertensive rats? 514
Increased plasma vasopressin in low renin essential hypertension, 506
The influence of indomethacin on blood pressure during the infusion of vasopressors, 772
Peripheral pressor systems in hypertension caused by nucleus tractus solitarius lesions, 742

Arterial hypertension
Effects of propranolol on the impulse activity of cardiovascular sympathetic afferent fibers, 50

Arteries
Synthetic atrial natriuretic factor does not dilate resistance-sized arteries, 606

Atherosclerosis
Effects of hypertension and of antihypertensive therapy on atherosclerosis. State of the art lecture, I-15

Prognostic value of nephrography in atherosclerotic occlusion of the renal artery, 962 (L)

Atrial function
Assessment of left atrial function in patients with hypertensive heart disease, 779

Atrial natriuretic factor
Analysis of atrial natriuretic factor (ANF) stored and secreted by adult and neonatal atrial cardiocytes, 825 (A-39)
ANF genetic expression in the central nervous system, 826 (A-43)
Atrial natriuretic factor in spontaneously hypertensive rats, I-137
Atrial natriuretic factor and cyclic guanosine 3′,5′-monophosphate in vascular smooth muscle, 762
Bartter's syndrome and the atrial natriuretic factor gene, 549 (RC)
Cardiovascular effects of atrial natriuretic factor in anesthetized and conscious dogs, 312
Characterization of immunoreactive atrial natriuretic factor (irANF) in human plasma and cultured atrial myocytes, 825 (A-42)
A comparison of synthetic rat and human atrial natriuretic factor in conscious dogs, 211
Dopaminergic control of the atrial natriuretic factor release? 825 (A-40)
Effect of atrial natriuretic factor on angiotensin II–induced hypertension in rats, 748
Hemodynamic effects of infusion versus bolus administration of atrial natriuretic factor, 866
Immunoreactive atrial natriuretic hormone levels increase in deoxycorticosterone acetate–treated pigs, II-16
Localization of specific binding sites for atrial natriuretic factor in peripheral tissues of the guinea pig, rat, and human, 712
Platelet binding sites for atrial natriuretic factor in humans: characterization and effects of sodium intake, II-6
Renal mechanisms for suppression of renin secretion by atrial natriuretic factor, II-28
Role of the right and left atrium on UNaV and ANF release during volume expansion and reduction, 826 (A-44)
Sodium loading and posture modulate human atrial natriuretic factor plasma levels, II-106
Synthetic atrial natriuretic factor does not dilate resistance-sized arteries, 606
Vascular and adrenal binding sites for atrial natriuretic factor: effects of sodium and hypertension, I-141
Vascular responsiveness to atriopeptin III in mineralocorticoid hypertensive rats, I-146

Atrial peptides
α- and β-Adrenergic agonists directly and distinctively influence atrial natriuretic peptide (ANP) secretion, 825 (A-41)
Atrial natriuretic peptide in humans: production and clearance by various tissues, II-11
Atrial natriuretic peptide levels aggregate in families, 827 (A-47)
Effects of water deprivation and sodium load on atrial natriuretic polypeptide in rat brain, I-61
Four-hour infusions of synthetic atrial natriuretic peptide in normal volunteers, II-96
Hemodynamic effects of infusion versus bolus administration of atrial natriuretic factor, 866
Long-term hypotensive and renal effects of atrial natriuretic peptide, II-112
Mechanism of action of atrial natriuretic peptide in adrenal glomerulosa cells: blockade of calcium influx, 826 (A-45)
Natriuretic and vasodilator threshold of atrial natriuretic peptide in man, 824 (A-38)
Plasma atrial natriuretic peptide in essential hypertension, 826 (A-46)
Prolonged administration of human atrial natriuretic peptide in healthy men: reduced aldosteronotropic effect of angiotensin II, 1040
Significance of α-human atrial natriuretic polypeptide as a hormone in humans, I-151
Synthetic atrial natriuretic factor does not dilate resistance-sized arteries, 606

Autonomic nervous system (*see also* Sympathetic nervous system)
Hemodynamic effects of adenosine in conscious hypertensive and normotensive rats, 391

Awards
CIBA Award for Hypertension Research, II-191
Second annual Marion Hypertension Research Clinical Fellowship Award, II-192

B

Baroreceptor reflexes
Arterial baroreflexes and blood pressure and heart rate variabilities in humans, 147
Captopril modifies the hemodynamic and neuroendocrine responses to sodium nitroprusside in hypertensive patients, 229
Comparison of 1-hour and 24-hour blood pressure recordings in central or peripheral baroreceptor–denervated rats, 1154
Differential modulation of the baroreceptor reflex by brain and plasma vasopressin, II-157
The effect of age and sodium depletion on cardiovascular response to orthostasis, 438
Felodipine, blood pressure, and cardiovascular reflexes in hypertensive humans, 1172
High salt diet sensitizes cardiopulmonary baroreflexes in Dahl salt-resistant rats, II-21

Baroreceptors
Long-term analysis of aortic dynamics in growing conscious rats, I-200
Neurogenic mechanisms in hypertension: resetting of the baroreceptors. State of the art lecture, I-7
The neurogenic response to 55-degree head-up tilt in normal pregnant women, I-161
Sensitization of arterial baroreceptors by pulsatile pressure, 831 (A-63)

Bartter's syndrome
Bartter's syndrome and the atrial natriuretic factor gene, 549 (RC)

Biofeedback
Nonpharmacological approaches to the control of high blood pressure: final report of the Subcommittee on Nonpharmacological Therapy of the 1984 Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure, 444 (SR)

Biotechnology
Biotechnology and the pharmaceutical industry: new cardiovascular drugs, 965 (E)

Black population
Blood pressure, body fat, and dehydroepiandrosterone sulfate variation in adolescence, 277
Dietary calcium and blood pressure in National Health and Nutrition Examination Surveys I and II, 1067
Factors related to blood pressure in a biracial adolescent female population, 843
[^{3}H]Ouabain binding of red blood cells in whites and blacks, 1050
Race and cardiovascular reactivity: a neglected relationship, 1075
The response to long-term oral sodium loading in young blacks, I-165

Blood-brain barrier
Mechanisms of protection of the blood-brain barrier during acute hypertension in stroke-prone hypertensive rats, 828 (A-53)

Blood flow (*see also* Renal blood flow)
Blood flow through cerebral collateral vessels in hypertensive and normotensive rats, II-67
Crucial role of endothelium in the vasodilator response to increased flow in vivo, 37
Norepinephrine removal and release in the forearm of healthy subjects, 801
Response of cerebral arteries to sympathetic stimulation during acute hypertension, 911
Selective vasodilation produced by renal denervation in adult spontaneously hypertensive rats, 372

Blood pressure
Age-related changes in blood pressure, 1044
Arterial baroreflexes and blood pressure and heart rate variabilities in humans, 147
Chronic effect of ketanserin in mild to moderate essential hypertension, 167

Comparison of 1-hour and 24-hour blood pressure recordings in central or peripheral baroreceptor–denervated rats, 1154
Controlled trial of long-term oral calcium supplementation in essential hypertension, 1084 (RC)
Definitions and characteristics of sodium sensitivity and blood pressure resistance, II-127
Dietary calcium and blood pressure in National Health and Nutrition Examination Surveys I and II, 1067
Evidence for a difference in vitamin D metabolism between spontaneously hypertensive and Wistar-Kyoto rats, 1015
Factors related to blood pressure in a biracial adolescent female population, 843
Felodipine, blood pressure, and cardiovascular reflexes in hypertensive humans, 1172
Hypertensive effect of a bradykinin antagonist in normotensive rats, 1089 (RC)
The influence of indomethacin on blood pressure during the infusion of vasopressors, 772
Long-term hypotensive and renal effects of atrial natriuretic peptide, II-112
Management of hypertension in high school students by using new salt titrator tape, 1164
Prolonged administration of human atrial natriuretic peptide in healthy men: reduced aldosteronotropic effect of angiotensin II, 1040
Race and cardiovascular reactivity: a neglected relationship, 1075
Salt level in weaning diet affects saline preference and fluid intake in Dahl rats, 1021
Spontaneously elevated blood pressures in offspring of hypertensive monkeys, 822 (A-29)
Systemic and renal vascular responses to dietary calcium and vitamin D, 975
Thromboxane synthesis and blood pressure in spontaneously hypertensive rats, 1113

Blood pressure increase
Blood pressure, body fat, and dehydroepiandrosterone sulfate variation in adolescence, 277
Response of cerebral arteries to sympathetic stimulation during acute hypertension, 911

Blood pressure measurement
Factor analysis suggesting contrasting determinants for different blood pressure measurements, 243
Genetic analysis of blood pressure and sodium balance in spontaneously hypertensive rats, 572
Inaccuracy in the home use of automated blood pressure cuffs by hypertensive patients being treated with β-blockers, 1179 (L)
Innovative blood pressure measurements yield information not reflected by sitting measurements, 252

Blood pressure monitoring
Chronic effect of ketanserin in mild to moderate essential hypertension, 167
An evaluation of self-recorded blood pressure during drug trials, 267
Persistence of high diastolic blood pressure in thin children: the Bogalusa Heart Study, 24

Blood pressure reduction
Disparate effects of ace inhibitor and calcium blocker on the progression of renal disease in the rat, 832 (A-71)
Effect of weight loss on blood pressure and drug consumption in normal weight patients, 223
Exercise hemodynamics and oxygen delivery in human hypertension: response to verapamil, 3
Role of dopamine in the inhibition of vasopressin secretion by L-dopa in carbidopa-treated dogs, 890

Blood pressure regulation
Addendum to summary of NIH workshop on blood pressure regulation and aging, 639 (L)
α_1-Adrenergic blockade and cardiovascular pressor responses in essential hypertension, 407
Alternatives to traditional antihypertensive therapy, 837 (E)
Cardiovascular effects of atrial natriuretic factor in anesthetized and conscious dogs, 312
Central action of sodium chloride on blood pressure and vascular responsiveness in the rat, I-52
1986 Guidelines for the treatment of mild hypertension: memorandum from the WHO/ISH, 957 (SR)
Insulin as a potential factor influencing blood pressure in amputees, 793
Monoclonal antibodies against human renin: blood pressure effects in the marmoset, 600
Nonpharmacological approaches to the control of high blood pressure: final report of the Subcommittee on Nonpharmacological Therapy of the 1984 Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure, 444 (SR)
Renomedullary system of blood pressure control, I-38
Summary of NIH workshop on blood pressure regulation and aging, 178 (SR)

Blood pressure variation
Arterial baroreflexes and blood pressure and heart rate variabilities in humans, 147
The effect of age and sodium depletion on cardiovascular response to orthostasis, 438
Genetic association of hypertension and vascular changes in stroke-prone spontaneously hypertensive rats, 904

Blood volume expansion
Significance of α-human atrial natriuretic polypeptide as a hormone in humans, I-151
Spectrum of deranged sodium homeostasis in essential hypertension, 422

Body fluid compartments
Lack of effect of nifedipine on counterregulatory mechanisms in essential hypertension, 655

Body mass index
Blood pressure, body fat, and dehydroepiandrosterone sulfate variation in adolescence, 277

Body size
Factor analysis suggesting contrasting determinants for different blood pressure measurements, 243

Brain
Area postrema in non-angiotensin dependent experimental hypertension, 835 (A-84)
Biochemical and immunochemical studies of supraoptic and paraventricular cultures, II-168
Blood flow through cerebral collateral vessels in hypertensive and normotensive rats, II-67
Brain corticotropin releasing factor in the spontaneously hypertensive rat, 1027
The central and peripheral renin-angiotensin system in reserpine-treated rats, I-75
Differential modulation of the baroreceptor reflex by brain and plasma vasopressin, II-157
Effects of water deprivation and sodium load on atrial natriuretic polypeptide in rat brain, I-61
Identification of renin and angiotensinogen messenger RNA sequences in mouse and rat brains, 544 (RC)
Immunoreactive plasma concentrations of an endogenous antiopiate are higher in spontaneously hypertensive rats than in Wister-Kyoto rats, 198
Localization of preangiotensinogen messenger RNA sequences in the rat brain, 540 (RC)
Neurons of the C1 area of rostral ventrolateral medulla mediate nucleus tractus solitarii hypertension, I-56
Peripheral pressor systems in hypertension caused by nucleus tractus solitarius lesions, 742
Reflex and central components of carotid occlusion in conscious rats: effect of lesion of the medial forebrain bundle, I-47
Response of cerebral arteries to sympathetic stimulation during acute hypertension, 911
Role of dopamine in the inhibition of vasopressin secretion by L-dopa in carbidopa-treated dogs, 890
Veratrine promotes release of angiotensinogen during ventriculocisternal perfusion, I-79

Brief reviews
Experimental hypertension in young and adult animals, 1096 (BR)

Syndrome of hypertension and hyperkalemia with normal glomerular filtration rate, 93 (BR)
Bumetanide
Bumetanide-sensitive sodium-22 transport in vascular smooth muscle cell of the spontaneously hypertensive rat, 379

C

Calcitonin
Human calcitonin gene-related peptide (CGRP): evidence for a physiologic role in blood pressure and calcium homeostasis, 831 (A-65)
Systemic and regional hemodynamic effects of calcitonin gene-related peptide (CGRP) in conscious rats, 831 (A-64)
Calcium
Bumetanide-sensitive sodium-22 transport in vascular smooth muscle cell of the spontaneously hypertensive rat, 379
Calcium-related abnormalities in lymphocytes from genetically hypertensive rats, II-123
Characteristics of a Ca^{2+}-activated K^+ channel in vascular smooth muscle cells, 816 (A-3)
Controlled trial of long-term oral calcium supplementation in essential hypertension, 1084 (RC)
Decreased calcium pump adenosine triphosphatase in red blood cells of hypertensive subjects, 1058
Dietary calcium and blood pressure in National Health and Nutrition Examination Surveys I and II, 1067
Effect of verapamil on catecholamine secretion by human pheochromocytoma, 813 (L)
Effects of brain renin on hemodynamic function and fluid and electrolyte balance, I-70
Effects of calcium infusion on blood pressure in hypertensive and normotensive humans, 497
Evidence against the role of calcium deficiency in genetic hypertension, 45
Extracellular calcium and altered vascular responsiveness in the deoxycorticosterone acetate–salt rat, 526
Factors related to blood pressure in a biracial adolescent female population, 843
Hyperreactivity of platelets from spontaneously hypertensive rats: role of external magnesium, 694
Leukocyte ionized calcium and sodium content and blood pressure in humans, 483
Platelet membrane calmodulin-stimulated calcium–adenosine triphosphatase: altered activity in essential hypertension, 159
The pressor and metabolic effects of alcohol in normotensive subjects, 625
Regulation of intracellular free Ca in arterial smooth muscle: role of Na/Ca exchange, 816 (A-2)
Serum calcium fractions in essential hypertensive and matched normotensive subjects, 11
Sodium pump activity and calcium relaxation in vascular smooth muscle of deoxycorticosterone acetate–salt rats, 1032
Systemic and renal vascular responses to dietary calcium and vitamin D, 975
Calcium channel blockers
Blockade of central calcium channels induces hypertension in dogs, I-66
Calcium channel blockade with nifedipine in primary aldosteronism, I-191
New insights into the medical management of primary aldosteronism, 76 (CC)
Renal effects of diltiazem in primary hypertension, 238
Calcium channels
Alterations in the plasma membrane properties of the myocardium of spontaneously hypertensive rats, 583
Calcium activation of vascular smooth muscle. State of the art lecture, II-89
Calcium mobilization
Role of inositol lipid breakdown in the generation of intracellular signals. State of the art lecture, II-140
Calmodulin
Decreased calcium pump adenosine triphosphatase in red blood cells of hypertensive subjects, 1058
Platelet membrane calmodulin-stimulated calcium–adenosine triphosphatase: altered activity in essential hypertension, 159
Captopril
Antihypertensive drugs inhibit hypertension-associated aortic DNA synthesis in the rat, 1135
Captopril, blood pressure, and vascular reactivity in psychosocial hypertensive mice, I-119
Captopril modifies the hemodynamic and neuroendocrine responses to sodium nitroprusside in hypertensive patients, 229
Differential renal function during angiotensin converting enzyme inhibition in renovascular hypertension, 650
Effect of captopril on ^{99m}Tc-diethylenetriaminepentaacetic acid renograms in two-kidney, one clip hypertension, 685
Effects of converting enzyme inhibition on split renal function in renovascular hypertension, 415
Role of sodium in modulation of myocardial hypertrophy in renal hypertensive rats, 918
Significance of the vascular renin-angiotensin pathway, 553 (E)
Carbohydrates
Weight-reducing diets and sodium intake, 357 (L)
Cardiac factors
Cardiovascular effects of atrial natriuretic factor in anesthetized and conscious dogs, 312
Effects of water deprivation and sodium load on atrial natriuretic polypeptide in rat brain, I-61
Isomyosin transitions in ventricles of aldosterone-salt hypertensive rats, 128
Left ventricular filling characteristics in mild untreated hypertension, I-156
Significance of α-human atrial natriuretic polypeptide as a hormone in humans, I-151
Cardiac function (*see also* Myocardium)
Assessment of left atrial function in patients with hypertensive heart disease, 779
Changes in rat ventricular isomyosins with regression of cardiac hypertrophy, 1143
Exercise hemodynamics and oxygen delivery in human hypertension: response to verapamil, 3
Race and cardiovascular reactivity: a neglected relationship, 1075
Cardiac hypertrophy
Cardiovascular hypertrophy in hypertension. Arthur C. Corcoran Memorial Lecture, II-187
Enhanced DNA synthesis in heart and kidney of newborn spontaneously hypertensive rats, 520
Isomyosin transitions in ventricles of aldosterone-salt hypertensive rats, 128
Role of sodium in modulation of myocardial hypertrophy in renal hypertensive rats, 918
Cardiovascular factors
Blockade of central calcium channels induces hypertension in dogs, I-66
Cardiovascular effects of atrial natriuretic factor in anesthetized and conscious dogs, 312
Effects of desipramine on the cardiovascular responses to clonidine and guanabenz, I-184
Carotid occlusion
Reflex and central components of carotid occlusion in conscious rats: effect of lesion of the medial forebrain bundle, I-47
Case reports
A case of adrenal tumor producing renin, aldosterone, and sex steroid hormones, 951 (CR)
Noncardiogenic pulmonary edema as the sole manifestation of pheochromocytoma, 810 (CR)
Unusual association of hyperkalemia and hypertension, 174 (CR)
Catecholamines
Diuretic treatment alters clonidine suppression of plasma norepinephrine, 272

Effect of verapamil on catecholamine secretion by human pheochromocytoma, 813 (L)
Effects of clonidine on central and peripheral nerve tone in primary hypertension, 611
Metabolism and storage of catecholamines in rats with pheochromocytoma implants, 940
Noncardiogenic pulmonary edema as the sole manifestation of pheochromocytoma, 810 (CR)
The pressor and metabolic effects of alcohol in normotensive subjects, 625
Role of dopamine in the inhibition of vasopressin secretion by L-dopa in carbidopa-treated dogs, 890

Cations
Associations of three erythrocyte cation transport systems with plasma lipids in Utah subjects, 30

Cell cultures
Biochemical and immunochemical studies of supraoptic and paraventricular cultures, II-168
Cultured monolayers as model systems for ion transport across epithelial and endothelial membranes. State of the art lecture, I-22
Platelet-activating factor stimulates prostaglandin synthesis in cultured cells, 192

Cell partitioning
Partitioning of erythrocytes from spontaneously hypertensive and Wister-Kyoto rats, 533

Central nervous system
Arterial baroreflexes and blood pressure and heart rate variabilities in humans, 147
Blockade of central calcium channels induces hypertension in dogs, I-66
Central action of sodium chloride on blood pressure and vascular responsiveness in the rat, I-52
Central adrenergic receptor control of renal function in conscious hypertensive rats, 133
Evidence for a predominantly central hypotensive effect of α-methyldopa in humans, 16
How does salt raise blood pressure? A hypothesis, 83 (PV)

Cerebral circulation
Response of cerebral arteries to sympathetic stimulation during acute hypertension, 911

Cerebrospinal fluid
Effects of clonidine on central and peripheral nerve tone in primary hypertension, 611
Nonrenal factors contribute to plasma and cerebrospinal fluid angiotensin II, I-95
Veratrine promotes release of angiotensinogen during ventriculocisternal perfusion, I-79

Children (*see also* Adolescents)
Aldosterone excretion rates in children and adults during sleep, 154
Associations of three erythrocyte cation transport systems with plasma lipids in Utah subjects, 30
Blood pressure, body fat, and dehydroepiandrosterone sulfate variation in adolescence, 277
Childhood familial pheochromocytoma: conflicting results of localization techniques, 851
The effect of age and sodium depletion on cardiovascular response to orthostasis, 438
Innovative blood pressure measurements yield information not reflected by sitting measurements, 252
Persistence of high diastolic blood pressure in thin children: the Bogalusa Heart Study, 24
Platelet thromboxane inhibition by plasma polypeptides in prehypertensive Dahl rats, II-180

Chloride
Effect of dietary chloride on salt-sensitive and renin-dependent hypertension, 56
Sodium and chloride in salt-sensitive hypertension, 552 (L)

Cholesterol (*see also* Hypercholesterolemia)
Associations of three erythrocyte cation transport systems with plasma lipids in Utah subjects, 30
Effects of altered plasma lipoprotein profile on antihypertensive drug efficacy, I-180
Effects of hypertension and of antihypertensive therapy on atherosclerosis. State of the art lecture, I-15
Effects of hypertension and hypercholesterolemia on vasodilatation in the rabbit, 361

Chromatography
Biochemical and immunochemical studies of supraoptic and paraventricular cultures, II-168
Specific measurement of angiotensin metabolites and in vitro generated angiotensin II in plasma, 476

CIBA Award, 1985
CIBA Award for Hypertension Research, II-191
The CIBA Award for 1985: a full circle in two generations, 469 (E)

Circulatory filling pressure
Hypertonic sodium chloride restores mean circulatory filling pressure in severely hypovolemic dogs, I-195

Clinical conferences
Cushing's syndrome and hypertension, 258 (CC)
Lacunar stroke, 349 (CC)
New insights into the medical management of primary aldosteronism, 76 (CC)
Orthostatic hypotension, 722 (CC)

Clinical trials
An evaluation of self-recorded blood pressure during drug trials, 267

Clonidine
Diuretic treatment alters clonidine suppression of plasma norepinephrine, 272
Effect of urapidil, clonidine, and prazosin on sympathetic tone in conscious rats, 303
Effects of clonidine on central and peripheral nerve tone in primary hypertension, 611
Effects of desipramine on the cardiovascular responses to clonidine and guanabenz, I-184

Coarctation
The loss of endothelium-dependent vascular relaxation in hypertension, II-61

Converting enzyme inhibitors
Converting enzyme inhibitors decrease kininase but not converting activity in the rat mesenteric vascular bed, I-90
Differential renal function during angiotensin converting enzyme inhibition in renovascular hypertension, 650
Does vasopressin sustain blood pressure in conscious spontaneously hypertensive rats? 514
Effect of captopril on ^{99m}Tc-diethylenetriaminepentaacetic acid renograms in two-kidney, one clip hypertension, 685
Effects of angiotensin inhibition and renal denervation in two-kidney, one clip hypertensive rats, 1127
Effects of converting enzyme inhibition on split renal function in renovascular hypertension, 415
Hypertensive effect of a bradykinin antagonist in normotensive rats, 1089 (RC)
Monoclonal antibodies against human renin: blood pressure effects in the marmoset, 600
An orally active inhibitor of renin, 1105
Plasma angiotensin II and angiotensin fragments during angiotensin converting enzyme inhibition (CEI), 822 (A-26)
Renal and endocrine response to saline infusion in essential hypertension, 217
Renin inhibitors, 1093 (E)
Renomedullary system of blood pressure control, I-38
Significance of the vascular renin-angiotensin pathway, 553 (E)
Specific measurement of angiotensin metabolites and in vitro generated angiotensin II in plasma, 476
The unusual substrate specificity and the distribution of human angiotensin I converting enzyme, I-34
Vascular renin-angiotensin system in two-kidney, one clip hypertensive rats, 560
Vasodepressor role of endogenous bradykinin assessed by a bradykinin antagonist, 971

Corticotropin releasing factor
Adrenocorticotropin responses to corticotropin releasing factor and vasopressin in spontaneously hypertensive rats, 386
Brain corticotropin releasing factor in the spontaneously hypertensive rat, 1027

Cremaster muscle
Power dissipation as a measure of peripheral resistance in vascular networks, 184
Cushing's syndrome
Cushing's syndrome and hypertension, 258 (CC)
Cyclic AMP
Enhanced platelet cyclic AMP response to prostaglandin E_1 in essential hypertension, 662
Cyclic GMP
Atrial natriuretic factor and cyclic guanosine 3′,5′-monophosphate in vascular smooth muscle, 762
Cyclosporin
Cyclosporin directly augments the vascular contractile response to nerve stimulation, 828 (A-52)
Cytosine arabinoside
Increased aortic DNA synthesis precedes renal hypertension in rats: an obligatory step? 754

D

Dahl rats
Alterations of neural activity in the prehypertensive Dahl-S rat, 836 (A-88)
Effect of dietary chloride on salt-sensitive and renin-dependent hypertension, 56
High salt diet sensitizes cardiopulmonary baroreflexes in Dahl salt-resistant rats, II-21
Platelet thromboxane inhibition by plasma polypeptides in prehypertensive Dahl rats, II-180
Role of hypertension in progressive glomerular injury in glomerulonephritis, I-30
Salt level in weaning diet affects saline preference and fluid intake in Dahl rats, 1021
Sodium and chloride in salt-sensitive hypertension, 552 (L)
Suppression of adrenal renin in Dahl salt-sensitive rats, 1149
Up-regulation of renal prostaglandin receptors in genetic salt-dependent hypertension, 566
Degenerative joint disease
Effects of long-term treatment with indomethacin on renal function, 677
Dehydroepiandrosterone sulfate
Blood pressure, body fat, and dehydroepiandrosterone sulfate variation in adolescence, 277
Density gradient centrifugation
The storage form of renin in renin granules from rat kidney cortex, 706
Deoxycorticosterone-salt hypertension
Alterations in responsiveness of noradrenergic (NA) neurons of the locus coeruleus (LC) in DOCA/salt hypertensive rats (DHR), 829 (A-57)
Central action of sodium chloride on blood pressure and vascular responsiveness in the rat, I-52
Effects of acute renal denervation on kidney function in deoxycorticosterone acetate–hypertensive swine, 925
Effects of deoxycorticosterone-salt hypertension on cell ploidy in the rat aorta, II-50
Effects of hypertension and of antihypertensive therapy on atherosclerosis. State of the art lecture, I-15
Experimental hypertension in young and adult animals, 1096 (BR)
Extracellular calcium and altered vascular responsiveness in the deoxycorticosterone acetate–salt rat, 526
Immunoreactive atrial natriuretic hormone levels increase in deoxycorticosterone acetate–treated pigs, II-16
Lithium infusion to study sodium handling in unanesthetized hypertensive rats, 117
The loss of endothelium-dependent vascular relaxation in hypertension, II-61
Metabolic characteristics of aorta from spontaneously hypertensive and renal and deoxycorticosterone acetate–salt hypertensive rats, 103
Prehypertensive changes in sodium transport induced by deoxycorticosterone acetate in incubated rat tail artery, 592
Sodium and chloride in salt-sensitive hypertension, 552 (L)
Sodium pump activity and calcium relaxation in vascular smooth muscle of deoxycorticosterone acetate–salt rats, 1032
Desipramine
Effects of desipramine on the cardiovascular responses to clonidine and guanabenz, I-184
Estimation of intrasynaptic norepinephrine concentrations in humans, 471
Dexamethasone
Dexamethasone-suppressible hyperaldosteronism: adrenal transition cell hyperplasia? 669
Diet
Dietary calcium and blood pressure in National Health and Nutrition Examination Surveys I and II, 1067
Dietary intake of vitamin D as a determinant of deoxycorticosterone (DOC) hypertension (HTN), 833 (A-75)
Diets high in chloride but normal in sodium exacerbate hypertension in NaCl sensitive SHR, 834 (A-76)
Does moderate sodium restriction lower blood pressure? 265 (L)
Effects of altered plasma lipoprotein profile on antihypertensive drug efficacy, I-180
Effects of different periods of high sodium diet in the two-kidney, one clip hypertension model, I-128
Evidence against the role of calcium deficiency in genetic hypertension, 45
Evidence for a difference in vitamin D metabolism between spontaneously hypertensive and Wistar-Kyoto rats, 1015
High calcium diet reduces blood pressure in Dahl sodium-sensitive rats by neural mechanisms, 833 (A-73)
High salt diet sensitizes cardiopulmonary baroreflexes in Dahl salt-resistant rats, II-21
Management of hypertension in high school students by using new salt titrator tape, 1164
Neurohumoral and hemodynamic responses to dietary calcium supplementation in DOC-salt hypertensive dogs, 833 (A-74)
Nonpharmacological approaches to the control of high blood pressure: final report of the Subcommittee on Nonpharmacological Therapy of the 1984 Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure, 444 (SR)
The response to long-term oral sodium loading in young blacks, I-165
Role of hypertension in progressive glomerular injury in glomerulonephritis, I-30
Role of sodium in modulation of myocardial hypertrophy in renal hypertensive rats, 918
Salt level in weaning diet affects saline preference and fluid intake in Dahl rats, 1021
Suppression of adrenal renin in Dahl salt-sensitive rats, 1149
Systemic and renal vascular responses to dietary calcium and vitamin D, 975
Weight-reducing diets and sodium intake, 357 (L)
^{99m}Tc-Diethylenetriaminepentaacetic acid
Differential renal function during angiotensin converting enzyme inhibition in renovascular hypertension, 650
Effect of captopril on ^{99m}Tc-diethylenetriaminepentaacetic acid renograms in two-kidney, one clip hypertension, 685
Digitalislike factor
Plasma digitalislike activity in essential hypertension or end-stage renal disease, 632
Purification of a vasoactive digitalis-like factor (DLF) from human materials, 819 (A-14)
Dihydropyridine derivatives
Blockade of central calcium channels induces hypertension in dogs, I-66
1,25-Dihydroxycholecalciferol
Evidence against the role of calcium deficiency in genetic hypertension, 45
Evidence for a difference in vitamin D metabolism between spontaneously hypertensive and Wistar-Kyoto rats, 1015

Diltiazem
Antihypertensive and metabolic effects of diltiazem and nifedipine, 859
Renal effects of diltiazem in primary hypertension, 238
Diuresis
A comparison of synthetic rat and human atrial natriuretic factor in conscious dogs, 211
Spectrum of deranged sodium homeostasis in essential hypertension, 422
Diuretics
[illegible]etic treatment alters clonidine suppression of plasma norepinephrine, 272
[illegible]ow-dose hydrochlorothiazide effective? II-135
Significance of α-human atrial natriuretic polypeptide as a hormone in humans, I-151
DNA
Antihypertensive drugs inhibit hypertension-associated aortic DNA synthesis in the rat, 1135
Bartter's syndrome and the atrial natriuretic factor gene, 549 (RC)
Biotechnology and the pharmaceutical industry: new cardiovascular drugs, 965 (E)
Enhanced DNA synthesis in heart and kidney of newborn spontaneously hypertensive rats, 520
Identification of renin and angiotensinogen messenger RNA sequences in mouse and rat brains, 544 (RC)
Increased aortic DNA synthesis precedes renal hypertension in rats: an obligatory step? 754
Localization of preangiotensinogen messenger RNA sequences in the rat brain, 540 (RC)
Dopamine
Catecholamines in kidneys of normotensive and genetically hypertensive rats: effects of salt load, 122
Dopamine selectively inhibits aldosterone responses to angiotensin II in humans, 399
Dopaminergic binding and inhibitory effect in the bovine adrenal zona glomerulosa, 203
Effects of clonidine on central and peripheral nerve tone in primary hypertension, 611
Metabolism and storage of catecholamines in rats with pheochromocytoma implants, 940
Role of brain dopamine in centrally evoked angiotensin II responses in conscious rats, I-84
Role of dopamine in the inhibition of vasopressin secretion by L-dopa in carbidopa-treated dogs, 890
Selective antagonism of the hypotensive effects of dopamine agonists in spontaneously hypertensive rats, 298
Doppler echocardiography
Left ventricular filling characteristics in mild untreated hypertension, I-156

E

Editorials
Alternatives to traditional antihypertensive therapy, 837 (E)
Biotechnology and the pharmaceutical industry: new cardiovascular drugs, 965 (E)
The CIBA Award for 1985: a full circle in two generations, 469 (E)
The continuing evolution of a scientific journal, 1 (E)
Localization of vascular resistance changes during hypertension, 181 (E)
The Medical Research Council Trial, 733 (E)
Renin inhibitors, 1093 (E)
Significance of the vascular renin-angiotensin pathway, 553 (E)
Electrolytes
Effects of brain renin on hemodynamic function and fluid and electrolyte balance, I-70
Enalapril
Differential renal function during angiotensin converting enzyme inhibition in renovascular hypertension, 650
Renal and systemic effects of enalapril in chronic one-kidney hypertension, 109
Specific measurement of angiotensin metabolites and in vitro generated angiotensin II in plasma, 476
Use of the converting enzyme inhibitor enalapril in renovascular hypertension: effect on blood pressure, renal function, and the renin-angiotensin-aldosterone system, 290
Vascular renin-angiotensin system in two-kidney, one clip hypertensive rats, 560
Vasodepressor role of endogenous bradykinin assessed by a bradykinin antagonist, 971
Endocrine hypertension
Childhood familial pheochromocytoma: conflicting results of localization techniques, 851
Endothelium-derived relaxing factor
Antihypertensive treatment normalizes decreased endothelium-dependent relaxations in salt-induced hypertension of the rat, 835 (A-82)
Crucial role of endothelium in the vasodilator response to increased flow in vivo, 37
Effects of hypertension and hypercholesterolemia on vasodilatation in the rabbit, 361
Endothelium-dependent contractions to acetylcholine in the aorta of the spontaneously hypertensive rat, 344
Endothelium-dependent responses to platelets and serotonin in spontaneously hypertensive rats, II-55
The loss of endothelium-dependent vascular relaxation in hypertension, II-61
The mechanism of release of endothelium-derived relaxing factor by acetylcholine, 834 (A-79)
Modulation of guanylate cyclase by lipoxygenase inhibitors, 947 (RC)
Studies on endothelium-derived relaxing factor from cultured endothelium, 834 (A-80)
Epinephrine
Catecholamines in kidneys of normotensive and genetically hypertensive rats: effects of salt load, 122
Effects of clonidine on central and peripheral nerve tone in primary hypertension, 611
Enhanced platelet cyclic AMP response to prostaglandin E_1 in essential hypertension, 662
Neurons of the C1 area of rostral ventrolateral medulla mediate nucleus tractus solitarii hypertension, I-56
Essential hypertension
α_1-Adrenergic blockade and cardiovascular pressor responses in essential hypertension, 407
Antihypertensive and metabolic effects of diltiazem and nifedipine, 859
Associations of three erythrocyte cation transport systems with plasma lipids in Utah subjects, 30
Chronic effect of ketanserin in mild to moderate essential hypertension, 167
Controlled trial of long-term oral calcium supplementation in essential hypertension, 1084 (RC)
Decreased venous distensibility and reduced renin responsiveness in hypertension, II-36
Decreased water and potassium content in erythrocytes in essential hypertension, 618
Detection of primary aldosteronism by the 6-hour integrated aldosterone/renin ratio, 285
Effects of clonidine on central and peripheral nerve tone in primary hypertension, 611
Effects of converting enzyme inhibition on split renal function in renovascular hypertension, 415
Enhanced platelet cyclic AMP response to prostaglandin E_1 in essential hypertension, 662
Evidence for increased levels of a circulating ouabainlike factor in essential hypertension, 433
Failure of plasma norepinephrine to consistently reflect sympathetic activity in humans, 641
Felodipine, blood pressure, and cardiovascular reflexes in hypertensive humans, 1172

Increased plasma vasopressin in low renin essential hypertension, 506
Lack of effect of nifedipine on counterregulatory mechanisms in essential hypertension, 655
Management of hypertension in high school students by using new salt titrator tape, 1164
Plasma digitalislike activity in essential hypertension or end-stage renal disease, 632
Platelet membrane calmodulin-stimulated calcium–adenosine triphosphatase: altered activity in essential hypertension, 159
Preliminary observations on abnormalities of membrane structure and function in essential hypertension, II-174
Renal and endocrine response to saline infusion in essential hypertension, 217
Renal effects of diltiazem in primary hypertension, 238
The response to long-term oral sodium loading in young blacks, I-165
Serum calcium fractions in essential hypertensive and matched normotensive subjects, 11
Similarities of essential and spontaneous hypertension: volume and number of blood cells, 983
Spectrum of deranged sodium homeostasis in essential hypertension, 422
Vasodilator effect of a new adrenergic receptor drug, medroxalol, on hypertensive forearm vessels, I-174

Excitation-contraction coupling
Cardiovascular hypertrophy in hypertension. Arthur C. Corcoran Memorial Lecture, II-187

Exercise
Exercise hemodynamics and oxygen delivery in human hypertension: response to verapamil, 3
Failure of plasma norepinephrine to consistently reflect sympathetic activity in humans, 641
Nonpharmacological approaches to the control of high blood pressure: final report of the Subcommittee on Nonpharmacological Therapy of the 1984 Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure, 444 (SR)

F

Family history
Venous abnormality in normotensive young men with a family history of hypertension, 142

Felodipine
Felodipine, blood pressure, and cardiovascular reflexes in hypertensive humans, 1172

Fluid balance
Effects of brain renin on hemodynamic function and fluid and electrolyte balance, I-70
Salt level in weaning diet affects saline preference and fluid intake in Dahl rats, 1021
Sodium chloride–dependent hypertension, 359 (L)

G

Ganglionic blockade
Hemodynamic effects of adenosine in conscious hypertensive and normotensive rats, 391

Genetic hypertension
Bumetanide-sensitive sodium-22 transport in vascular smooth muscle cell of the spontaneously hypertensive rat, 379
Calcium-related abnormalities in lymphocytes from genetically hypertensive rats, II-123
Evidence against the role of calcium deficiency in genetic hypertension, 45
Selective vasodilation produced by renal denervation in adult spontaneously hypertensive rats, 372
Suppression of adrenal renin in Dahl salt-sensitive rats, 1149
Syndrome of hypertension and hyperkalemia with normal glomerular filtration rate, 93 (BR)

Genetics
Bartter's syndrome and the atrial natriuretic factor gene, 549 (RC)
Biotechnology and the pharmaceutical industry: new cardiovascular drugs, 965 (E)
Effects of deoxycorticosterone-salt hypertension on cell ploidy in the rat aorta, II-50
Genetic analysis of blood pressure and sodium balance in spontaneously hypertensive rats, 572
Genetic association of hypertension and vascular changes in stroke-prone spontaneously hypertensive rats, 904
The pressor and metabolic effects of alcohol in normotensive subjects, 625
The response to long-term oral sodium loading in young blacks, I-165
Significance of the vascular renin-angiotensin pathway, 553 (E)

Geriatric hypertension
Summary of NIH workshop on blood pressure regulation and aging, 178 (SR)

Glomerular filtration rate
A comparison of synthetic rat and human atrial natriuretic factor in conscious dogs, 211
Effects of converting enzyme inhibition on split renal function in renovascular hypertension, 415
Hemodynamic effects of platelet activating factor in the dog kidney in vivo, 737
Lithium infusion to study sodium handling in unanesthetized hypertensive rats, 117
Long-term hypotensive and renal effects of atrial natriuretic peptide, II-112
Mechanism of glomerular permeability reduction in nonclipped kidney of rats with Goldblatt hypertension, I-105
Renal and systemic effects of enalapril in chronic one-kidney hypertension, 109
Renal effects of diltiazem in primary hypertension, 238

Glomerular injury
Role of hypertension in progressive glomerular injury in glomerulonephritis, I-30

Glucocorticoid hypertension
Hypertensive potency of 18-oxocortisol in the rat, 317

Glucose
Sodium and glucose transport across renal brush border membranes of Milan hypertensive rats, 932

Goldblatt hypertension (*see also* Renal hypertension)
Antihypertensive drugs inhibit hypertension-associated aortic DNA synthesis in the rat, 1135
Blood kinin in one-kidney, one clip hypertensive rats, I-110
Changes in rat ventricular isomyosins with regression of cardiac hypertrophy, 1143
Effect of captopril on ^{99m}Tc-diethylenetriaminepentaacetic acid renograms in two-kidney, one clip hypertension, 685
Effect of dietary chloride on salt-sensitive and renin-dependent hypertension, 56
Effect of guanethidine on the development of two-kidney, two clip renal hypertension, I-123
Effects of angiotensin inhibition and renal denervation in two-kidney, one clip hypertensive rats, 1127
Effects of different periods of high sodium diet in the two-kidney, one clip hypertension model, I-128
Effects of hypertension and of antihypertensive therapy on atherosclerosis. State of the art lecture, I-15
Hemodynamic characteristics of the intestinal microcirculation in renal hypertension, 66
Increased aortic DNA synthesis precedes renal hypertension in rats: an obligatory step? 754
Lithium infusion to study sodium handling in unanesthetized hypertensive rats, 117
The loss of endothelium-dependent vascular relaxation in hypertension, II-61
Mechanism of glomerular permeability reduction in nonclipped kidney of rats with Goldblatt hypertension, I-105

Renal and systemic effects of enalapril in chronic one-kidney hypertension, 109
Role of sodium in modulation of myocardial hypertrophy in renal hypertensive rats, 918
Selection criteria for drug-treated animals in two-kidney, one clip renal hypertension, 700
Vascular renin-angiotensin system in two-kidney, one clip hypertensive rats, 560
Gordon's syndrome
Syndrome of hypertension and hyperkalemia with normal glomerular filtration rate, 93 (BR)
Unusual association of hyperkalemia and hypertension, 174 (CR)
Guanethidine
Effect of guanethidine on the development of two-kidney, two clip renal hypertension, I-123
Guanosine nucleotide binding protein
Role of inositol lipid breakdown in the generation of intracellular signals: State of the art lecture, II-140
Guanylate cyclase
Modulation of guanylate cyclase by lipoxygenase inhibitors, 947 (RC)

H

Heart rate variation
Arterial baroreflexes and blood pressure and heart rate variabilities in humans, 147
Comparison of 1-hour and 24-hour blood pressure recordings in central or peripheral baroreceptor–denervated rats, 1154
Hemodynamic function
Effects of brain renin on hemodynamic function and fluid and electrolyte balance, I-70
Exercise hemodynamics and oxygen delivery in human hypertension: response to verapamil, 3
Hemodynamic effects of infusion versus bolus administration of atrial natriuretic factor, 866
Hepatic conversion
The liver converts the antihypertensive hormone of the kidney: the renohepatic axis, II-117
High density lipoprotein
Effects of altered plasma lipoprotein profile on antihypertensive drug efficacy, I-180
Hormonal factors
Immunoreactive atrial natriuretic hormone levels increase in deoxycorticosterone acetate–treated pigs, II-16
Significance of α-human atrial natriuretic polypeptide as a hormone in humans, I-151
Hormones
A case of adrenal tumor producing renin, aldosterone, and sex steroid hormones, 951 (CR)
The liver converts the antihypertensive hormone of the kidney: the renohepatic axis, II-117
Role of inositol lipid breakdown in the generation of intracellular signals, II-140
Hybridization
Identification of renin and angiotensinogen messenger RNA sequences in mouse and rat brains, 544 (RC)
Hydrochlorothiazide
Is low-dose hydrochlorothiazide effective? II-135
Use of the converting enzyme inhibitor enalapril in renovascular hypertension: effect on blood pressure, renal function, and the renin-angiotensin-aldosterone system, 290
Hydroxydopamine
The central and peripheral renin-angiotensin system in reserpine-treated rats, I-75
Hyperaldosteronism
Detection of primary aldosteronism by the 6-hour integrated aldosterone/renin ratio, 285
Dexamethasone-suppressible hyperaldosteronism: adrenal transition cell hyperplasia? 669
Hypercalcemia
Systemic and renal vascular responses to dietary calcium and vitamin D, 975
Hypercholesterolemia
Effects of hypertension and hypercholesterolemia on vasodilatation in the rabbit, 361
Hyperkalemia
Syndrome of hypertension and hyperkalemia with normal glomerular filtration rate, 93 (BR)
Unusual association of hyperkalemia and hypertension, 174 (CR)
Hyperplasia
Detection of primary aldosteronism by the 6-hour integrated aldosterone/renin ratio, 285
New insights into the medical management of primary aldosteronism, 76 (CC)
***Hypertension* journal**
The continuing evolution of a scientific journal, 1 (E)
A note of thanks to reviewers, 89
Hypokalemia
Potassium depletion ameliorates hypertension in spontaneously hypertensive rats, 990
Hypotension
Neurogenic mechanisms in hypertension: resetting of the baroreceptors. State of the art lecture, I-7
Orthostatic hypotension, 722 (CC)
Hypothalamus
Biochemical and immunochemical studies of supraoptic and paraventricular cultures, II-168

I

Immunoreactivity
Immunoreactive plasma concentrations of an endogenous antiopiate are higher in spontaneously hypertensive rats than in Wister-Kyoto rats, 198
In vitro secretion of immunoreactive tonin from dispersed rat submandibular gland cells, 883
Indomethacin
Effects of long-term treatment with indomethacin on renal function, 677
Hemodynamic effects of platelet activating factor in the dog kidney in vivo, 737
The influence of indomethacin on blood pressure during the infusion of vasopressors, 772
Insulin
Insulin as a potential factor influencing blood pressure in amputees, 793
Intestines
Hemodynamic characteristics of the intestinal microcirculation in renal hypertension, 66
Intracellular signals
Role of inositol lipid breakdown in the generation of intracellular signals. State of the art lecture, II-140
Ion transport
Cultured monolayers as model systems for ion transport across epithelial and endothelial membranes. State of the art lecture, I-22
Effect of hypertensive rat plasma on ion transport of vascular smooth muscle cells, 818 (A-10)
Reduced response to stimulated electrogenic ion transport in skeletal muscle arterioles of hamsters with bilateral Grollman hypertension, 827 (A-49)
Isomyosins
Changes in rat ventricular isomyosins with regression of cardiac hypertrophy, 1143
Isomyosin transitions in ventricles of aldosterone-salt hypertensive rats, 128
Role of sodium in modulation of myocardial hypertrophy in renal hypertensive rats, 918
Isoproterenol
Extracellular calcium and altered vascular responsiveness in the deoxycorticosterone acetate–salt rat, 526

K

Kallikrein
Blood kinin in one-kidney, one clip hypertensive rats, I-110
The design of substrate analogue tissue kallikrein inhibitors, I-114
The neurogenic response to 55-degree head-up tilt in normal pregnant women, I-161
Ketanserin
Chronic effect of ketanserin in mild to moderate essential hypertension, 167
Kidney
Catecholamines in kidneys of normotensive and genetically hypertensive rats: effects of salt load, 122
Cultured monolayers as model systems for ion transport across epithelial and endothelial membranes. State of the art lecture, I-22
Effects of acute renal denervation on kidney function in deoxycorticosterone acetate–hypertensive swine, 925
Effects of converting enzyme inhibition on split renal function in renovascular hypertension, 415
Enhanced DNA synthesis in heart and kidney of newborn spontaneously hypertensive rats, 520
The liver converts the antihypertensive hormone of the kidney: the renohepatic axis, II-117
Localization of specific binding sites for atrial natriuretic factor in peripheral tissues of the guinea pig, rat, and human, 712
Mechanism of glomerular permeability reduction in nonclipped kidney of rats with Goldblatt hypertension, I-105
Modulation of kidney renin messenger RNA levels during experimentally induced hypertension, 874
Prognostic value of nephrography in atherosclerotic occlusion of the renal artery, 962 (L)
Selection criteria for drug-treated animals in two-kidney, one clip renal hypertension, 700
Selective vasodilation produced by renal denervation in adult spontaneously hypertensive rats, 372
Sodium and glucose transport across renal brush border membranes of Milan hypertensive rats, 932
Spectrum of deranged sodium homeostasis in essential hypertension, 422
The storage form of renin in renin granules from rat kidney cortex, 706
Kinin
Blood kinin in one-kidney, one clip hypertensive rats, I-110
Bradykinin stimulation of B_1 receptors, 831 (A-66)
Bradykinin's contribution to normotension, shown by a competitive antagonist, 832 (A-67)
The design of substrate analogue tissue kallikrein inhibitors, I-114
Hypertensive effect of a bradykinin antagonist in normotensive rats, 1089 (RC)
Relaxation of mesenteric arteries by des-(Arg^9)-bradykinin, 817 (A-8)
Vasodepressor role of endogenous bradykinin assessed by a bradykinin antagonist, 971
Kininase
Converting enzyme inhibitors decrease kininase but not converting activity in the rat mesenteric vascular bed, I-90

L

Lactate production
Metabolic characteristics of aorta from spontaneously hypertensive and renal and deoxycorticosterone acetate–salt hypertensive rats, 103
Letters to the editor
Addendum to summary of NIH workshop on blood pressure regulation and aging, 639 (L)
Does moderate sodium restriction lower blood pressure? 265 (L)
Effect of verapamil on catecholamine secretion by human pheochromocytoma, 813 (L)
Inaccuracy in the home use of automated blood pressure cuffs by hypertensive patients being treated with β-blockers, 1179 (L)
Prognostic value of nephrography in atherosclerotic occlusion of the renal artery, 962 (L)
Sodium and chloride in salt-sensitive hypertension, 552 (L)
Sodium chloride–dependent hypertension, 359 (L)
Weight-reducing diets and sodium intake, 357 (L)
Leukocyte ionized calcium
Leukocyte ionized calcium and sodium content and blood pressure in humans, 483
Leukotrienes
Biological actions of leukotrienes. State of the art lecture, II-44
Leukotrienes (LTs) synthesis and metabolism in response to glomeruli (G) and neutrophil (N) interaction of genetically hypertensive rats (SHR), 823 (A-33)
Lipids
Preliminary observations on abnormalities of membrane structure and function in essential hypertension, II-174
Role of inositol lipid breakdown in the generation of intracellular signals. State of the art lecture, II-140
Lipoxygenase inhibitors
Modulation of guanylate cyclase by lipoxygenase inhibitors, 947 (RC)
Lithium
Lithium infusion to study sodium handling in unanesthetized hypertensive rats, 117
Liver
The liver converts the antihypertensive hormone of the kidney: the renohepatic axis, II-117
Lymphocytes
Calcium-related abnormalities in lymphocytes from genetically hypertensive rats, II-123

M

Madin-Darby canine kidney cells
Cultured monolayers as model systems for ion transport across epithelial and endothelial membranes. State of the art lecture, I-22
Magnesium
Hyperreactivity of platelets from spontaneously hypertensive rats: role of external magnesium, 694
Suppressive effect of dietary magnesium on the development of hypertension in DOCA/NaCl hypertensive rats, 828 (A-51)
Marion Award, 1985
Second annual Marion Hypertension Research Clinical Fellowship Award, II-192
Medical Research Council Trial
The Medical Research Council Trial, 733 (E)
Medroxalol
Vasodilator effect of a new adrenergic receptor drug, medroxalol, on hypertensive forearm vessels, I-174
Medulla
Neurons of the C1 area of rostral ventrolateral medulla mediate nucleus tractus solitarii hypertension, I-56
Membranes
Alterations in the plasma membrane properties of the myocardium of spontaneously hypertensive rats, 583
Calcium-related abnormalities in lymphocytes from genetically hypertensive rats, II-123
Decreased water and potassium content in erythrocytes in essential hypertension, 618
Partitioning of erythrocytes from spontaneously hypertensive and Wister-Kyoto rats, 533
Preliminary observations on abnormalities of membrane structure and function in essential hypertension, II-174
Role of inositol lipid breakdown in the generation of intracellular signals. State of the art lecture, II-140
Sodium and glucose transport across renal brush border membranes of Milan hypertensive rats, 932
Sodium pump activity and calcium relaxation in vascular smooth muscle of deoxycorticosterone acetate–salt rats, 1032
Metabolism
Metabolic characteristics of aorta from spontaneously hypertensive

and renal and deoxycorticosterone acetate–salt hypertensive rats, 103
Metabolism and storage of catecholamines in rats with pheochromocytoma implants, 940
Metaiodobenzylguanidine scan
Childhood familial pheochromocytoma: conflicting results of localization techniques, 851
α-Methyldopa
Evidence for a predominantly central hypotensive effect of α-methyldopa in humans, 16
Metoclopramide
Role of brain dopamine in centrally evoked angiotensin II responses in conscious rats, I-84
Microcirculation
Hemodynamic characteristics of the intestinal microcirculation in renal hypertension, 66
Power dissipation as a measure of peripheral resistance in vascular networks, 184
Milan hypertensive rats
Sodium and glucose transport across renal brush border membranes of Milan hypertensive rats, 932
Mild hypertension
Alternatives to traditional antihypertensive therapy, 837 (E)
Diuretic treatment alters clonidine suppression of plasma norepinephrine, 272
1986 Guidelines for the treatment of mild hypertension: memorandum from the WHO/ISH, 957 (SR)
The Medical Research Council Trial, 733 (E)
Mineralocorticoid hypertension
Central action of sodium chloride on blood pressure and vascular responsiveness in the rat, I-52
Hypertensive potency of 18-oxocortisol in the rat, 317
Immunoreactive atrial natriuretic hormone levels increase in deoxycorticosterone acetate–treated pigs, II-16
Sodium chloride–dependent hypertension, 359 (L)
Vascular responsiveness to atriopeptin III in mineralocorticoid hypertensive rats, I-146
Mitral valve prolapse
Orthostatic hypotension, 722 (CC)
Monoclonal antibodies
Monoclonal antibodies against human renin: blood pressure effects in the marmoset, 600
Myocardium
Alterations in the plasma membrane properties of the myocardium of spontaneously hypertensive rats, 583
Myocardial contractility during chronic sodium depletion (SD) in conscious dogs, 834 (A-77)
Role of sodium in modulation of myocardial hypertrophy in renal hypertensive rats, 918
Myosin
Changes in rat ventricular isomyosins with regression of cardiac hypertrophy, 1143
Isomyosin transitions in ventricies of aldosterone-salt hypertensive rats, 128
Role of sodium in modulation of myocardial hypertrophy in renal hypertensive rats, 918

N

Nadolol
Is low-dose hydrochlorothiazide effective? II-135
National Health and Nutrition Examination Survey
Dietary calcium and blood pressure in National Health and Nutrition Examination Surveys I and II, 1067
National Heart, Lung, and Blood Institute
Challenges in hypertension research, I-1 (SR)
National Institute on Aging
Summary of NIH workshop on blood pressure regulation and aging, 178 (SR)
Natriuresis
A comparison of synthetic rat and human atrial natriuretic factor in conscious dogs, 211
Pressure natriuresis relationships during the development of hypertension, 830 (A-62)
Renal and endocrine response to saline infusion in essential hypertension, 217
Significance of α-human atrial natriuretic polypeptide as a hormone in humans, I-151
Spectrum of deranged sodium homeostasis in essential hypertension, 422
Up-regulation of renal prostaglandin receptors in genetic salt-dependent hypertension, 566
Neonates
Enhanced DNA synthesis in heart and kidney of newborn spontaneously hypertensive rats, 520
Nephrectomy
Changes in rat ventricular isomyosins with regression of cardiac hypertrophy, 1143
Extrarenal prorenin in plasma requires an activator of renal origin, II-84
Mechanisms by which nephrectomy stimulates adrenal renin, 997
Suppression of adrenal renin in Dahl salt-sensitive rats, 1149
Nephrography
Prognostic value of nephrography in atherosclerotic occlusion of the renal artery, 962 (L)
Neurogenic hypertension
Neurons of the C1 area of rostral ventrolateral medulla mediate nucleus tractus solitarii hypertension, I-56
Neurons
How does salt raise blood pressure? A hypothesis, 83 (PV)
Neuropeptide Y
Effects of infused neuropeptide Y and norepinephrine on systemic hemodynamics and cardiac performance in the rat, 817 (A-7)
Mechanism of action of neuropeptide Y in vascular control, 817 (A-6)
Nicardipine
Blockade of central calcium channels induces hypertension in dogs, I-66
Nifedipine
Antihypertensive and metabolic effects of diltiazem and nifedipine, 859
Lack of effect of nifedipine on counterregulatory mechanisms in essential hypertension, 655
Preferential inhibitory effect of nifedipine on angiotensin II–induced renal vasoconstriction, 897
Nonpharmacological treatment
Alternatives to traditional antihypertensive therapy, 837 (E)
1986 Guidelines for the treatment of mild hypertension: memorandum from the WHO/ISH, 957 (SR)
Norepinephrine
α_1-Adrenergic blockade and cardiovascular pressor responses in essential hypertension, 407
Are hypertensive effects of aldosterone, angiotensin, vasopressin, and norepinephrine chronically additive? 332
Captopril modifies the hemodynamic and neuroendocrine responses to sodium nitroprusside in hypertensive patients, 229
Catecholamines in kidneys of normotensive and genetically hypertensive rats: effects of salt load, 122
The central and peripheral renin-angiotensin system in reserpine-treated rats, I-75
Diuretic treatment alters clonidine suppression of plasma norepinephrine, 272
Effects of clonidine on central and peripheral nerve tone in primary hypertension, 611
Estimation of intrasynaptic norepinephrine concentrations in humans, 471
Evidence for a predominantly central hypotensive effect of α-methyldopa in humans, 16
Exercise hemodynamics and oxygen delivery in human hypertension: response to verapamil, 3

Extracellular calcium and altered vascular responsiveness in the deoxycorticosterone acetate–salt rat, 526
Failure of plasma norepinephrine to consistently reflect sympathetic activity in humans, 641
Genetic association of hypertension and vascular changes in stroke-prone spontaneously hypertensive rats, 904
The influence of indomethacin on blood pressure during the infusion of vasopressors, 772
Metabolism and storage of catecholamines in rats with pheochromocytoma implants, 940
The neurogenic response to 55-degree head-up tilt in normal pregnant women, I-161
Noncardiogenic pulmonary edema as the sole manifestation of pheochromocytoma, 810 (CR)
Norepinephrine removal and release in the forearm of healthy subjects, 801
Postsynaptic α_1- and α_2-adrenergic receptors in adrenergic control of capacitance vessel tone in vivo, 1003
Preferential inhibitory effect of nifedipine on angiotensin II–induced renal vasoconstriction, 897
Role of dopamine in the inhibition of vasopressin secretion by L-dopa in carbidopa-treated dogs, 890
Vascular responses to ouabain and norepinephrine in low and normal renin hypertension, 786

Nucleus tractus solitarii hypertension
Comparison of 1-hour and 24-hour blood pressure recordings in central or peripheral baroreceptor–denervated rats, 1154
Neurons of the C1 area of rostral ventrolateral medulla mediate nucleus tractus solitarii hypertension, I-56
Peripheral pressor systems in hypertension caused by nucleus tractus solitarius lesions, 742

O

Obesity
Factor analysis suggesting contrasting determinants for different blood pressure measurements, 243
Insulin as a potential factor influencing blood pressure in amputees, 793
Management of hypertension in high school students by using new salt titrator tape, 1164
Nonpharmacological approaches to the control of high blood pressure: final report of the Subcommittee on Nonpharmacological Therapy of the 1984 Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure, 444 (SR)
Obesity hypertension in the dog, 823 (A-30)
Persistence of high diastolic blood pressure in thin children: the Bogalusa Heart Study, 24

Orthostasis
The effect of age and sodium depletion on cardiovascular response to orthostasis, 438

Orthostatic hypotension
Orthostatic hypotension, 722 (CC)

Ouabain
Antihypertensive drugs inhibit hypertension-associated aortic DNA synthesis in the rat, 1135
[^{3}H]Ouabain binding of red blood cells in whites and blacks, 1050
Plasma digitalislike activity in essential hypertension or end-stage renal disease, 632
Vascular responses to ouabain and norepinephrine in low and normal renin hypertension, 786

Ouabainlike factor
Evidence for increased levels of a circulating ouabainlike factor in essential hypertension, 433

Oxygen consumption
Exercise hemodynamics and oxygen delivery in human hypertension: response to verapamil, 3
Metabolic characteristics of aorta from spontaneously hypertensive and renal and deoxycorticosterone acetate–salt hypertensive rats, 103

Oxytocin
Biochemical and immunochemical studies of supraoptic and paraventricular cultures, II-168

P

Pain sensitivity
Immunoreactive plasma concentrations of an endogenous antiopiate are higher in spontaneously hypertensive rats than in Wister-Kyoto rats, 198

Parathyroid hormone
Effects of calcium infusion on blood pressure in hypertensive and normotensive humans, 497

Pediatric hypertension
Persistence of high diastolic blood pressure in thin children: the Bogalusa Heart Study, 24

Peptides (*see also* Atrial peptides)
Atrial natriuretic factor in spontaneously hypertensive rats, I-137
Atrial natriuretic peptide in humans: production and clearance by various tissues, II-11
Biochemical and immunochemical studies of supraoptic and paraventricular cultures, II-168
Characterization of angiotensin I in turtle plasma, I-101
A comparison of synthetic rat and human atrial natriuretic factor in conscious dogs, 211
The design of substrate analogue tissue kallikrein inhibitors, I-114
Four-hour infusions of synthetic atrial natriuretic peptide in normal volunteers, II-96
Immunoreactive plasma concentrations of an endogenous antiopiate are higher in spontaneously hypertensive rats than in Wister-Kyoto rats, 198
Long-term hypotensive and renal effects of atrial natriuretic peptide, II-112
Nonrenal factors contribute to plasma and cerebrospinal fluid angiotensin II, I-95
Significance of α-human atrial natriuretic polypeptide as a hormone in humans, I-151
Specific measurement of angiotensin metabolites and in vitro generated angiotensin II in plasma, 476
Synthetic atrial natriuretic factor does not dilate resistance-sized arteries, 606
The unusual substrate specificity and the distribution of human angiotensin I converting enzyme, I-34
Veratrine promotes release of angiotensinogen during ventriculocisternal perfusion, I-79

Pharmaceutical industry
Biotechnology and the pharmaceutical industry: new cardiovascular drugs, 965 (E)

Phase systems
Partitioning of erythrocytes from spontaneously hypertensive and Wister-Kyoto rats, 533

Pheochromocytoma
Chemotherapy of malignant pheochromocytoma, 830 (A-61)
Childhood familial pheochromocytoma: conflicting results of localization techniques, 851
Diuretic treatment alters clonidine suppression of plasma norepinephrine, 272
Effect of verapamil on catecholamine secretion by human pheochromocytoma, 813 (L)
Metabolism and storage of catecholamines in rats with pheochromocytoma implants, 940
Noncardiogenic pulmonary edema as the sole manifestation of pheochromocytoma, 810 (CR)

Phospholipase activity
Platelet-activating factor stimulates prostaglandin synthesis in cultured cells, 192

Role of inositol lipid breakdown in the generation of intracellular signals. State of the art lecture, II-140
Phosphorus
Evidence for a difference in vitamin D metabolism between spontaneously hypertensive and Wistar-Kyoto rats, 1015
Plasma inhibitory factor
Excessive salt intake produces a factor which inhibits platelet thromboxane A_2 release and renal prostaglandin E_2 production in rats, 818 (A-12)
Plasma membranes
Alterations in the plasma membrane properties of the myocardium of spontaneously hypertensive rats, 583
Plasma renin activity
The central and peripheral renin-angiotensin system in reserpine-treated rats, I-75
Characterization of angiotensin I in turtle plasma, I-101
Cushing's syndrome and hypertension, 258 (CC)
Detection of primary aldosteronism by the 6-hour integrated aldosterone/renin ratio, 285
Diuretic treatment alters clonidine suppression of plasma norepinephrine, 272
Hypertensinogenic activities of ring A–reduced metabolites of aldosterone, I-187
Mechanical and renin-angiotensin system components in acute aortic coarctation hypertension, I-133
The neurogenic response to 55-degree head-up tilt in normal pregnant women, I-161
Nonrenal factors contribute to plasma and cerebrospinal fluid angiotensin II, I-95
Role of brain dopamine in centrally evoked angiotensin II responses in conscious rats, I-84
Platelet-activating factor
Hemodynamic effects of platelet activating factor in the dog kidney in vivo, 737
Platelet-activating factor stimulates prostaglandin synthesis in cultured cells, 192
Platelets
Endothelium-dependent responses to platelets and serotonin in spontaneously hypertensive rats, II-55
Enhanced platelet cyclic AMP response to prostaglandin E_1 in essential hypertension, 662
Hyperreactivity of platelets from spontaneously hypertensive rats: role of external magnesium, 694
Platelet binding sites for atrial natriuretic factor in humans: characterization and effects of sodium intake, II-6
Platelet membrane calmodulin-stimulated calcium–adenosine triphosphatase: altered activity in essential hypertension, 159
Platelet thromboxane inhibition by plasma polypeptides in prehypertensive Dahl rats, II-180
Preliminary observations on abnormalities of membrane structure and function in essential hypertension, II-174
Similarities of essential and spontaneous hypertension: volume and number of blood cells, 983
Plethysmography
Venous abnormality in normotensive young men with a family history of hypertension, 142
Point of view
How does salt raise blood pressure? A hypothesis, 83 (PV)
Polyploidy
Effects of deoxycorticosterone-salt hypertension on cell ploidy in the rat aorta, II-50
Posture
Orthostatic hypotension, 722 (CC)
Sodium loading and posture modulate human atrial natriuretic factor plasma levels, II-106
Potassium
Decreased water and potassium content in erythrocytes in essential hypertension, 618
Factors related to blood pressure in a biracial adolescent female population, 843
Mechanisms by which nephrectomy stimulates adrenal renin, 997
Potassium depletion ameliorates hypertension in spontaneously hypertensive rats, 990
Prehypertensive changes in sodium transport induced by deoxycorticosterone acetate in incubated rat tail artery, 592
Sodium pump activity and calcium relaxation in vascular smooth muscle of deoxycorticosterone acetate–salt rats, 1032
Unusual association of hyperkalemia and hypertension, 174 (CR)
Potassium chloride
Extracellular calcium and altered vascular responsiveness in the deoxycorticosterone acetate–salt rat, 526
Potassium excretion
Aldosterone excretion rates in children and adults during sleep, 154
Prazosin
Effect of urapidil, clonidine, and prazosin on sympathetic tone in conscious rats, 303
Postsynaptic α_1- and α_2-adrenergic receptors in adrenergic control of capacitance vessel tone in vivo, 1003
Renal α_2-adrenergic receptors multiply and mediate sodium retention after prazosin treatment, 323
Role of dopamine in the inhibition of vasopressin secretion by L-dopa in carbidopa-treated dogs, 890
Pregnancy
Effects of sodium chloride on pregnant sheep with reduced uteroplacental perfusion pressure, 62
The neurogenic response to 55-degree head-up tilt in normal pregnant women, I-161
Pressor response
α_1-Adrenergic blockade and cardiovascular pressor responses in essential hypertension, 407
The adrenergic system and the release and pressor action of vasopressin, II-163
Does vasopressin sustain blood pressure in conscious spontaneously hypertensive rats? 514
Estimation of intrasynaptic norepinephrine concentrations in humans, 471
The pressor and metabolic effects of alcohol in normotensive subjects, 625
Sequential elimination of pressor mechanisms in severe hypertension in humans, I-169
Propranolol
Dopamine selectively inhibits aldosterone responses to angiotensin II in humans, 399
Effects of propranolol on the impulse activity of cardiovascular sympathetic afferent fibers, 50
Propranolol prevents the development of nuclear polyploidy in aortic smooth muscle cells of DOC-salt hypertensive rats, 828 (A-54)
Prorenin
Biochemical similarity of expressed human prorenin and native inactive renin, II-78
Characterization of the biosynthetic processing, secretion and sequence of prorenin from human kidney, 819 (A-17)
Extrarenal prorenin in plasma requires an activator of renal origin, II-84
Prostaglandins
Effects of long-term treatment with indomethacin on renal function, 677
Endothelium-dependent contractions to acetylcholine in the aorta of the spontaneously hypertensive rat, 344
Enhanced platelet cyclic AMP response to prostaglandin E_1 in essential hypertension, 662
The influence of indomethacin on blood pressure during the infusion of vasopressors, 772
Platelet-activating factor stimulates prostaglandin synthesis in cultured cells, 192
Prostaglandin E_2 analogue elicits renal and hormonal compensatory mechanisms in human hypertension, 489
Suppression of adrenal renin in Dahl salt-sensitive rats, 1149
Up-regulation of renal prostaglandin receptors in genetic salt-dependent hypertension, 566
Protein kinase C
Role of inositol lipid breakdown in the generation of intracellular signals. State of the art lecture, II-140
Pseudohypoaldosteronism
Unusual association of hyperkalemia and hypertension, 174 (CR)

Psychosocial model of hypertension
Captopril, blood pressure, and vascular reactivity in psychosocial hypertensive mice, I-119
Pulmonary edema
Noncardiogenic pulmonary edema as the sole manifestation of pheochromocytoma, 810 (CR)

R

Race (*see also* Black population)
Definitions and characteristics of sodium sensitivity and blood pressure resistance, II-127
Radioimmunoassay
Specific measurement of angiotensin metabolites and in vitro generated angiotensin II in plasma, 476
Radioreceptor assay
Evidence for increased levels of a circulating ouabainlike factor in essential hypertension, 433
Rapid communications
Controlled trial of long-term oral calcium supplementation in essential hypertension, 1084 (RC)
Hypertensive effect of a bradykinin antagonist in normotensive rats, 1089 (RC)
Localization of preangiotensinogen messenger RNA sequences in the rat brain, 540 (RC)
Modulation of guanylate cyclase by lipoxygenase inhibitors, 947 (RC)
Receptor mechanisms, intrarenal
Renal mechanisms for suppression of renin secretion by atrial natriuretic factor, II-28
Red blood cells
Associations of three erythrocyte cation transport systems with plasma lipids in Utah subjects, 30
Decreased calcium pump adenosine triphosphatase in red blood cells of hypertensive subjects, 1058
Decreased water and potassium content in erythrocytes in essential hypertension, 618
Electron spin resonance studies of erythrocytes from essential hypertension and genetic hypertension, 819 (A-15)
Evidence for increased levels of a circulating ouabainlike factor in essential hypertension, 433
[^{3}H]Ouabain binding of red blood cells in whites and blacks, 1050
Partitioning of erythrocytes from spontaneously hypertensive and Wister-Kyoto rats, 533
Preliminary observations on abnormalities of membrane structure and function in essential hypertension, II-174
Reduced Na concentration and increased Na-K pump activity of erythrocytes in human hypertension, 818 (A-13)
Similarities of essential and spontaneous hypertension: volume and number of blood cells, 983
Renal blood flow
Effects of converting enzyme inhibition on split renal function in renovascular hypertension, 415
Hemodynamic effects of infusion versus bolus administration of atrial natriuretic factor, 866
Renal and systemic effects of enalapril in chronic one-kidney hypertension, 109
Renal effects of diltiazem in primary hypertension, 238
Renal cells
Isolation of renin rich rat renal cortical cells, 819 (A-16)
Platelet-activating factor stimulates prostaglandin synthesis in cultured cells, 192
Renal denervation
Selective vasodilation produced by renal denervation in adult spontaneously hypertensive rats, 372
Renal function
Differential renal function during angiotensin converting enzyme inhibition in renovascular hypertension, 650
Effects of long-term treatment with indomethacin on renal function, 677
Hemodynamic effects of platelet activating factor in the dog kidney in vivo, 737
Thromboxane synthesis and blood pressure in spontaneously hypertensive rats, 1113
Renal hypertension (*see also* Goldblatt hypertension)
Antihypertensive drugs inhibit hypertension-associated aortic DNA synthesis in the rat, 1135
Effects of angiotensin inhibition and renal denervation in two-kidney, one clip hypertensive rats, 1127
Hemodynamic characteristics of the intestinal microcirculation in renal hypertension, 66
Increased aortic DNA synthesis precedes renal hypertension in rats: an obligatory step? 754
Metabolic characteristics of aorta from spontaneously hypertensive and renal and deoxycorticosterone acetate–salt hypertensive rats, 103
Modulation of kidney renin messenger RNA levels during experimentally induced hypertension, 874
Role of sodium in modulation of myocardial hypertrophy in renal hypertensive rats, 918
Selection criteria for drug-treated animals in two-kidney, one clip renal hypertension, 700
Vascular and adrenal binding sites for atrial natriuretic factor: effects of sodium and hypertension, I-141
Vascular renin-angiotensin system in two-kidney, one clip hypertensive rats, 560
Renal nerve activity
Central adrenergic receptor control of renal function in conscious hypertensive rats, 133
Effects of acute renal denervation on kidney function in deoxycorticosterone acetate–hypertensive swine, 925
Effects of angiotensin inhibition and renal denervation in two-kidney, one clip hypertensive rats, 1127
Renal α_2-adrenergic receptors multiply and mediate sodium retention after prazosin treatment, 323
Renal stenosis
Effects of converting enzyme inhibition on split renal function in renovascular hypertension, 415
Renal vasoconstriction
Preferential inhibitory effect of nifedipine on angiotensin II-induced renal vasoconstriction, 897
Renin (*see also* Plasma renin activity)
Biochemical similarity of expressed human prorenin and native inactive renin, II-78
A case of adrenal tumor producing renin, aldosterone, and sex steroid hormones, 951 (CR)
Decreased venous distensibility and reduced renin responsiveness in hypertension, II-36
Effects of brain renin on hemodynamic function and fluid and electrolyte balance, I-70
Extrarenal prorenin in plasma requires an activator of renal origin, II-84
Identification of renin and angiotensinogen messenger RNA sequences in mouse and rat brains, 544 (RC)
Increased plasma vasopressin in low renin essential hypertension, 506
Localization of preangiotensinogen messenger RNA sequences in the rat brain, 540 (RC)
Mechanisms by which nephrectomy stimulates adrenal renin, 997
Modulation of kidney renin messenger RNA levels during experimentally induced hypertension, 874
Monoclonal antibodies against human renin: blood pressure effects in the marmoset, 600
An orally-active inhibitor of renin, 833 (A-72)
The pressor and metabolic effects of alcohol in normotensive subjects, 625
Renal and systemic effects of enalapril in chronic one-kidney hypertension, 109
Renal mechanisms for suppression of renin secretion by atrial natriuretic factor, II-28

Suppression of adrenal renin in Dahl salt-sensitive rats, 1149
Syndrome of hypertension and hyperkalemia with normal glomerular filtration rate, 93 (BR)
The storage form of renin in renin granules from rat kidney cortex, 706
Vascular responses to ouabain and norepinephrine in low and normal renin hypertension, 786
Renin-angiotensin system (*see also* Angiotensin)
Characterization of angiotensin I in turtle plasma, I-101
Cushing's syndrome and hypertension, 258 (CC)
Differential renal function during angiotensin converting enzyme inhibition in renovascular hypertension, 650
Effect of guanethidine on the development of two-kidney, two clip renal hypertension, I-123
Effects of long-term treatment with indomethacin on renal function, 677
Expression of renin-angiotensin systems in local tissues: evidence for tissue-specific regulation, 821 (A-25)
Hypertonic sodium chloride restores mean circulatory filling pressure in severely hypovolemic dogs, I-195
Lack of effect of nifedipine on counterregulatory mechanisms in essential hypertension, 655
Mechanical and renin-angiotensin system components in acute aortic coarctation hypertension, I-133
Monoclonal antibodies against human renin: blood pressure effects in the marmoset, 600
The neurogenic response to 55-degree head-up tilt in normal pregnant women, I-161
An orally active inhibitor of renin, 1105
Peripheral pressor systems in hypertension caused by nucleus tractus solitarius lesions, 742
Prostaglandin E_2 analogue elicits renal and hormonal compensatory mechanisms in human hypertension, 489
Renin inhibitors, 1093 (E)
Sequential elimination of pressor mechanisms in severe hypertension in humans, I-169
Significance of the vascular renin-angiotensin pathway, 553 (E)
Use of the converting enzyme inhibitor enalapril in renovascular hypertension: effect on blood pressure, renal function, and the renin-angiotensin-aldosterone system, 290
Vascular renin-angiotensin system in two-kidney, one clip hypertensive rats, 560
Veratrine promotes release of angiotensinogen during ventriculocisternal perfusion, I-79
Renin-dependent hypertension
Effect of dietary chloride on salt-sensitive and renin-dependent hypertension, 56
Renin inhibitors
An orally active inhibitor of renin, 1105
Renin inhibitors, 1093 (E)
Statine-containing dipeptide and tripeptide inhibitors of human renin, II-1
Renin structure
Study of the antigenic determinants of human renin, II-72
Renohepatic axis
The liver converts the antihypertensive hormone of the kidney: the renohepatic axis, II-117
Renomedullary interstitial cells
Renomedullary system of blood pressure control, I-38
Renovascular hypertension
Differential renal function during angiotensin converting enzyme inhibition in renovascular hypertension, 650
Effect of captopril on ^{99m}Tc-diethylenetriaminepentaacetic acid renograms in two-kidney, one clip hypertension, 685
Effects of converting enzyme inhibition on split renal function in renovascular hypertension, 415
Use of the converting enzyme inhibitor enalapril in renovascular hypertension: effect on blood pressure, renal function, and the renin-angiotensin-aldosterone system, 290
Vasodepressor role of endogenous bradykinin assessed by a bradykinin antagonist, 971
Research
Addendum to summary of NIH workshop on blood pressure regulation and aging, 639 (L)
Challenges in hypertension research, I-1 (SR)
Dietary calcium and blood pressure in National Health and Nutrition Examination Surveys I and II, 1067
Summary of NIH workshop on blood pressure regulation and aging, 178 (SR)
Reserpine
The central and peripheral renin-angiotensin system in reserpine-treated rats, I-75
Resistance vessels
Studies on resistance vessels from relatives of essential hypertensives, 832 (A-70)
RNA, messenger (*see also* Angiotensinogen messenger RNA)
Localization of preangiotensinogen messenger RNA sequences in the rat brain, 540 (RC)
Modulation of kidney renin messenger RNA levels during experimentally induced hypertension, 874
Rubidium-86 uptake
Sodium pump activity and calcium relaxation in vascular smooth muscle of deoxycorticosterone acetate–salt rats, 1032

S

Salt preference
Salt level in weaning diet affects saline preference and fluid intake in Dahl rats, 1021
Salt-sensitive hypertension (*see also* Deoxycorticosterone-salt hypertension)
Effect of dietary chloride on salt-sensitive and renin-dependent hypertension, 56
Experimental hypertension in young and adult animals, 1096 (BR)
How does salt raise blood pressure? A hypothesis, 83 (PV)
Platelet thromboxane inhibition by plasma polypeptides in prehypertensive Dahl rats, II-180
Sodium and chloride in salt-sensitive hypertension, 552 (L)
Sodium chloride–dependent hypertension, 359 (L)
Up-regulation of renal prostaglandin receptors in genetic salt-dependent hypertension, 566
Salt sensitivity
Definitions and characteristics of sodium sensitivity and blood pressure resistance, II-127
Renomedullary system of blood pressure control, I-38
Salt titrator tape
Management of hypertension in high school students by using new salt titrator tape, 1164
Saralasin
Vasodepressor role of endogenous bradykinin assessed by a bradykinin antagonist, 971
Sarcoplasmic reticulum
Calcium activation of vascular smooth muscle. State of the art lecture, II-89
Serotonin
Chronic effect of ketanserin in mild to moderate essential hypertension, 167
Effects of hypertension and hypercholesterolemia on vasodilatation in the rabbit, 361
Endothelium-dependent responses to platelets and serotonin in spontaneously hypertensive rats, II-55
Sex differences
Age-related changes in blood pressure, 1044
Dietary calcium and blood pressure in National Health and Nutrition Examination Surveys I and II, 1067
[^{3}H]Ouabain binding of red blood cells in whites and blacks, 1050
Shock
Hypertonic sodium chloride restores mean circulatory filling pressure in severely hypovolemic dogs, I-195

Sinoaortic denervation
Arterial baroreflexes and blood pressure and heart rate variabilities in humans, 147
Comparison of 1-hour and 24-hour blood pressure recordings in central or peripheral baroreceptor–denervated rats, 1154
Sleep urine
Aldosterone excretion rates in children and adults during sleep, 154
Smoking
Factor analysis suggesting contrasting determinants for different blood pressure measurements, 243
Sodium
Are hypertensive effects of aldosterone, angiotensin, vasopressin, and norepinephrine chronically additive? 332
High concentration of extracellular Na^+ accelerates proliferation of vascular smooth muscle cells, 829 (A-55)
How does salt raise blood pressure? A hypothesis, 83 (PV)
Leukocyte ionized calcium and sodium content and blood pressure in humans, 483
Nonpharmacological approaches to the control of high blood pressure: final report of the Subcommittee on Nonpharmacological Therapy of the 1984 Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure, 444 (SR)
Prehypertensive changes in sodium transport induced by deoxycorticosterone acetate in incubated rat tail artery, 592
Renal α_2-adrenergic receptors multiply and mediate sodium retention after prazosin treatment, 323
Sodium and glucose transport across renal brush border membranes of Milan hypertensive rats, 932
Sodium balance
Genetic analysis of blood pressure and sodium balance in spontaneously hypertensive rats, 572
Plasma digitalislike activity in essential hypertension or end-stage renal disease, 632
Sodium channel blocker
Effect of 6-iodo-amiloride(6IA) in different models of experimental hypertension (HT), 816 (A-5)
Sodium chloride
Catecholamines in kidneys of normotensive and genetically hypertensive rats: effects of salt load, 122
Central action of sodium chloride on blood pressure and vascular responsiveness in the rat, I-52
Effects of brain renin on hemodynamic function and fluid and electrolyte balance, I-70
Effects of different periods of high sodium diet in the two-kidney, one clip hypertension model, I-128
Effects of sodium chloride on pregnant sheep with reduced uteroplacental perfusion pressure, 62
Hypertonic sodium chloride restores mean circulatory filling pressure in severely hypovolemic dogs, I-195
Salt level in weaning diet affects saline preference and fluid intake in Dahl rats, 1021
Up-regulation of renal prostaglandin receptors in genetic salt-dependent hypertension, 566
Whole body vascular reactivity following chronic intracerebroventricular (IVT) infusion of hypertonic NaCl in rats, 827 (A-48)
Sodium depletion
The effect of age and sodium depletion on cardiovascular response to orthostasis, 438
Sodium excretion
Aldosterone excretion rates in children and adults during sleep, 154
Central adrenergic receptor control of renal function in conscious hypertensive rats, 133
Effects of angiotensin inhibition and renal denervation in two-kidney, one clip hypertensive rats, 1127
Long-term hypotensive and renal effects of atrial natriuretic peptide, II-112
Sodium loading and posture modulate human atrial natriuretic factor plasma levels, II-106
Sodium handling
Lithium infusion to study sodium handling in unanesthetized hypertensive rats, 117
Renal and endocrine response to saline infusion in essential hypertension, 217
Spectrum of deranged sodium homeostasis in essential hypertension, 422
Sodium intake
Does moderate sodium restriction lower blood pressure? 265 (L)
Experimental hypertension in young and adult animals, 1096 (BR)
High salt diet sensitizes cardiopulmonary baroreflexes in Dahl salt-resistant rats, II-21
Management of hypertension in high school students by using new salt titrator tape, 1164
Platelet binding sites for atrial natriuretic factor in humans: characterization and effects of sodium intake, II-6
Regulation of primate angiotensin II receptors during altered sodium intake, 1121
Role of sodium in modulation of myocardial hypertrophy in renal hypertensive rats, 918
Weight-reducing diets and sodium intake, 357 (L)
Sodium loading
Effect of atrial natriuretic factor on angiotensin II–induced hypertension in rats, 748
Effects of calcium infusion on blood pressure in hypertensive and normotensive humans, 497
Effects of water deprivation and sodium load on atrial natriuretic polypeptide in rat brain, I-61
Four-hour infusions of synthetic atrial natriuretic peptide in normal volunteers, II-96
Renal mechanisms for suppression of renin secretion by atrial natriuretic factor, II-28
The response to long-term oral sodium loading in young blacks, I-165
Sodium and chloride in salt-sensitive hypertension, 552 (L)
Sodium loading and posture modulate human atrial natriuretic factor plasma levels, II-106
Vascular and adrenal binding sites for atrial natriuretic factor: effects of sodium and hypertension, I-141
Sodium nitrite
Extracellular calcium and altered vascular responsiveness in the deoxycorticosterone acetate–salt rat, 526
Sodium nitroprusside
The adrenergic system and the release and pressor action of vasopressin, II-163
Atrial natriuretic factor and cyclic guanosine 3′,5′-monophosphate in vascular smooth muscle, 762
Captopril modifies the hemodynamic and neuroendocrine responses to sodium nitroprusside in hypertensive patients, 229
The loss of endothelium-dependent vascular relaxation in hypertension, II-61
Norepinephrine removal and release in the forearm of healthy subjects, 801
Vasodepressor role of endogenous bradykinin assessed by a bradykinin antagonist, 971
Sodium-potassium-adenosine triphosphatase
Na^+-K^+-ATPase activity is lower in serially passed, cultured skin fibroblasts from blacks than in fibroblasts from whites, 817 (A-9)
Vascular responses to ouabain and norepinephrine in low and normal renin hypertension, 786
Sodium pump
[^{3}H]Ouabain binding of red blood cells in whites and blacks, 1050
Sodium pump activity and calcium relaxation in vascular smooth muscle of deoxycorticosterone acetate–salt rats, 1032
Sodium transport
Bumetanide-sensitive sodium-22 transport in vascular smooth muscle cell of the spontaneously hypertensive rat, 379
Evidence for increased levels of a circulating ouabainlike factor in essential hypertension, 433
Special reports
Challenges in hypertension research, I-1 (SR)
1986 Guidelines for the treatment of mild hypertension: memorandum from the WHO/ISH, 957 (SR)
Nonpharmacological approaches to the control of high blood pressure: final report of the Subcommittee on Nonpharmacological

Therapy of the 1984 Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure, 444 (SR)
Summary of NIH workshop on blood pressure regulation and aging, 178 (SR)

Spontaneously hypertensive rats
Adrenocorticotropin responses to corticotropin releasing factor and vasopressin in spontaneously hypertensive rats, 386
Alterations in the plasma membrane properties of the myocardium of spontaneously hypertensive rats, 583
Antihypertensive drugs inhibit hypertension-associated aortic DNA synthesis in the rat, 1135
Atrial natriuretic factor in spontaneously hypertensive rats, I-137
Brain corticotropin releasing factor in the spontaneously hypertensive rat, 1027
Bumetanide-sensitive sodium-22 transport in vascular smooth muscle cell of the spontaneously hypertensive rat, 379
Calcium-related abnormalities in lymphocytes from genetically hypertensive rats, II-123
Cardiovascular hypertrophy in hypertension. Arthur C. Corcoran Memorial Lecture, II-187
Central adrenergic receptor control of renal function in conscious hypertensive rats, 133
Converting enzyme inhibitors decrease kininase but not converting activity in the rat mesenteric vascular bed, I-90
Does vasopressin sustain blood pressure in conscious spontaneously hypertensive rats? 514
Effect of urapidil, clonidine, and prazosin on sympathetic tone in conscious rats, 303
Effects of altered plasma lipoprotein profile on antihypertensive drug efficacy, I-180
Endothelium-dependent contractions to acetylcholine in the aorta of the spontaneously hypertensive rat, 344
Endothelium-dependent responses to platelets and serotonin in spontaneously hypertensive rats, II-55
Enhanced DNA synthesis in heart and kidney of newborn spontaneously hypertensive rats, 520
Evidence against the role of calcium deficiency in genetic hypertension, 45
Evidence for a difference in vitamin D metabolism between spontaneously hypertensive and Wistar-Kyoto rats, 1015
Genetic analysis of blood pressure and sodium balance in spontaneously hypertensive rats, 572
Hemodynamic effects of adenosine in conscious hypertensive and normotensive rats, 391
Hemodynamic effects of infusion versus bolus administration of atrial natriuretic factor, 866
Hyperreactivity of platelets from spontaneously hypertensive rats: role of external magnesium, 694
Hypertensinogenic activities of ring A–reduced metabolites of aldosterone, I-187
Immunoreactive plasma concentrations of an endogenous antiopiate are higher in spontaneously hypertensive rats than in Wister-Kyoto rats, 198
Lithium infusion to study sodium handling in unanesthetized hypertensive rats, 117
Localization of vascular resistance changes during hypertension, 181 (E)
Metabolic characteristics of aorta from spontaneously hypertensive and renal and deoxycorticosterone acetate–salt hypertensive rats, 103
Partitioning of erythrocytes from spontaneously hypertensive and Wister-Kyoto rats, 533
Potassium depletion ameliorates hypertension in spontaneously hypertensive rats, 990
Power dissipation as a measure of peripheral resistance in vascular networks, 184
Role of hypertension in progressive glomerular injury in glomerulonephritis, I-30
Selective antagonism of the hypotensive effects of dopamine agonists in spontaneously hypertensive rats, 298
Selective vasodilation produced by renal denervation in adult spontaneously hypertensive rats, 372
Similarities of essential and spontaneous hypertension: volume and number of blood cells, 983
Thromboxane synthesis and blood pressure in spontaneously hypertensive rats, 1113

Statine-containing renin inhibitors
Statine-containing dipeptide and tripeptide inhibitors of human renin, II-1

Steroids
Dexamethasone-suppressible hyperaldosteronism: adrenal transition cell hyperplasia? 669

Stress
Captopril, blood pressure, and vascular reactivity in psychosocial hypertensive mice, I-119
Central adrenergic receptor control of renal function in conscious hypertensive rats, 133
The effect of age and sodium depletion on cardiovascular response to orthostasis, 438
Factor analysis suggesting contrasting determinants for different blood pressure measurements, 243
Factors related to blood pressure in a biracial adolescent female population, 843
Long-term analysis of aortic dynamics in growing conscious rats, I-200
Muscle sympathetic nerve responses to mental stress, 829 (A-58)
Nonpharmacological approaches to the control of high blood pressure: final report of the Subcommittee on Nonpharmacological Therapy of the 1984 Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure, 444 (SR)
Race and cardiovascular reactivity: a neglected relationship, 1075
The response to long-term oral sodium loading in young blacks, I-165

Stroke
Lacunar stroke, 349 (CC)

Stroke-prone spontaneously hypertensive rats
Blood flow through cerebral collateral vessels in hypertensive and normotensive rats, II-67
Calcium-related abnormalities in lymphocytes from genetically hypertensive rats, II-123
Effect of urapidil, clonidine, and prazosin on sympathetic tone in conscious rats, 303
Genetic association of hypertension and vascular changes in stroke-prone spontaneously hypertensive rats, 904
Synthetic atrial natriuretic factor does not dilate resistance-sized arteries, 606

Substrate analogue inhibitors
The design of substrate analogue tissue kallikrein inhibitors, I-114

Sympathetic nervous system
Captopril modifies the hemodynamic and neuroendocrine responses to sodium nitroprusside in hypertensive patients, 229
Catecholamines in kidneys of normotensive and genetically hypertensive rats: effects of salt load, 122
Effect of guanethidine on the development of two-kidney, two clip renal hypertension, I-123
Effect of urapidil, clonidine, and prazosin on sympathetic tone in conscious rats, 303
Effects of propranolol on the impulse activity of cardiovascular sympathetic afferent fibers, 50
Estimation of intrasynaptic norepinephrine concentrations in humans, 471
Failure of plasma norepinephrine to consistently reflect sympathetic activity in humans, 641
High salt diet sensitizes cardiopulmonary baroreflexes in Dahl salt-resistant rats, II-21
Response of cerebral arteries to sympathetic stimulation during acute hypertension, 911
Selective vasodilation produced by renal denervation in adult spontaneously hypertensive rats, 372
Sequential elimination of pressor mechanisms in severe hypertension in humans, I-169

Sympathoadrenal system
Peripheral pressor systems in hypertension caused by nucleus tractus solitarius lesions, 742

T

Tarazi, Robert C.
Differential renal function during angiotensin converting enzyme inhibition in renovascular hypertension, 650
In memoriam: Robert C. Tarazi, M.D., 1925–1986, vii (April)
Terazosin
α_1-Adrenergic blockade and cardiovascular pressor responses in essential hypertension, 407
Thromboxane
Platelet thromboxane inhibition by plasma polypeptides in prehypertensive Dahl rats, II-180
Thromboxane synthesis and blood pressure in spontaneously hypertensive rats, 1113
Tissue culture
Biochemical and immunochemical studies of supraoptic and paraventricular cultures, II-168
Tonin
In vitro secretion of immunoreactive tonin from dispersed rat submandibular gland cells, 883
Tracking
Persistence of high diastolic blood pressure in thin children: the Bogalusa Heart Study, 24
Transport system
Associations of three erythrocyte cation transport systems with plasma lipids in Utah subjects, 30
Triglycerides
Associations of three erythrocyte cation transport systems with plasma lipids in Utah subjects, 30
Trimethaphan
Estimation of intrasynaptic norepinephrine concentrations in humans, 471
Trypsin
Extrarenal prorenin in plasma requires an activator of renal origin, II-84
Tyrosine-MIF-1
Immunoreactive plasma concentrations of an endogenous antiopiate are higher in spontaneously hypertensive rats than in Wister-Kyoto rats, 198

U

Urapidil
Effect of urapidil, clonidine, and prazosin on sympathetic tone in conscious rats, 303

V

Vagus nerve
Hypertonic sodium chloride restores mean circulatory filling pressure in severely hypovolemic dogs, I-195
Vascular abnormality
Venous abnormality in normotensive young men with a family history of hypertension, 142
Vascular reactivity
Central action of sodium chloride on blood pressure and vascular responsiveness in the rat, I-52
Effects of hypertension and hypercholesterolemia on vasodilatation in the rabbit, 361
Enhanced vascular sensitivity to C-kinase activators in stroke-prone spontaneously hypertensive rats (SHRSP), 832 (A-69)
Extracellular calcium and altered vascular responsiveness in the deoxycorticosterone acetate–salt rat, 526
Phorbol ester, vascular relaxation, and cGMP, 827 (A-50)
Postsynaptic α_1- and α_2-adrenergic receptors in adrenergic control of capacitance vessel tone in vivo, 1003
Vascular and adrenal binding sites for atrial natriuretic factor: effects of sodium and hypertension, I-141
Vascular responses to ouabain and norepinephrine in low and normal renin hypertension, 786
Vascular responsiveness to atriopeptin III in mineralocorticoid hypertensive rats, I-146
Vasodilator effect of a new adrenergic receptor drug, medroxalol, on hypertensive forearm vessels, I-174
Vascular resistance
Hemodynamic characteristics of the intestinal microcirculation in renal hypertension, 66
Localization of vascular resistance changes during hypertension, 181 (E)
Power dissipation as a measure of peripheral resistance in vascular networks, 184
Renal vascular resistance and sympathetic nervous system activity are abnormally increased in salt loaded borderline hypertensives, 836 (A-87)
Response of cerebral arteries to sympathetic stimulation during acute hypertension, 911
Significance of the vascular renin-angiotensin pathway, 553 (E)
Systemic and renal vascular responses to dietary calcium and vitamin D, 975
Use of the converting enzyme inhibitor enalapril in renovascular hypertension: effect on blood pressure, renal function, and the renin-angiotensin-aldosterone system, 290
Vasodilator effect of a new adrenergic receptor drug, medroxalol, on hypertensive forearm vessels, I-174
Vascular smooth muscle
Atrial natriuretic factor and cyclic guanosine 3′,5′-monophosphate in vascular smooth muscle, 762
Bumetanide-sensitive sodium-22 transport in vascular smooth muscle cell of the spontaneously hypertensive rat, 379
Calcium activation of vascular smooth muscle. State of the art lecture, II-89
Control of contractility in arterial smooth muscle: role of Na/Ca exchange, 818 (A-11)
Vasodilation
Crucial role of endothelium in the vasodilator response to increased flow in vivo, 37
Effects of hypertension and hypercholesterolemia on vasodilatation in the rabbit, 361
Felodipine, blood pressure, and cardiovascular reflexes in hypertensive humans, 1172
Potassium depletion ameliorates hypertension in spontaneously hypertensive rats, 990
Selective vasodilation produced by renal denervation in adult spontaneously hypertensive rats, 372
Vasodilator effect of a new adrenergic receptor drug, medroxalol, on hypertensive forearm vessels, I-174
Venous abnormality in normotensive young men with a family history of hypertenson, 142
Vasodilator hormones
Prostaglandin E_2 analogue elicits renal and hormonal compensatory mechanisms in human hypertension, 489
Vasopressin (*see also* Arginine vasopressin)
The adrenergic system and the release and pressor action of vasopressin, II-163
Adrenocorticotropin responses to corticotropin releasing factor and vasopressin in spontaneously hypertensive rats, 386
Are hypertensive effects of aldosterone, angiotensin, vasopressin, and norepinephrine chronically additive? 332
Biochemical and immunochemical studies of supraoptic and paraventricular cultures, II-168
Brain corticotropin releasing factor in the spontaneously hypertensive rat, 1027
Differential modulation of the baroreceptor reflex by brain and plasma vasopressin, II-157
Does vasopressin sustain blood pressure in conscious spontaneously hypertensive rats? 514
Increased plasma vasopressin in low renin essential hypertension, 506
The influence of indomethacin on blood pressure during the infusion of vasopressors, 772

Neurons of the C1 area of rostral ventrolateral medulla mediate nucleus tractus solitarii hypertension, I-56
Peripheral pressor systems in hypertension caused by nucleus tractus solitarius lesions, 742
Role of brain dopamine in centrally evoked angiotensin II responses in conscious rats, I-84
Role of dopamine in the inhibition of vasopressin secretion by L-dopa in carbidopa-treated dogs, 890
Sequential elimination of pressor mechanisms in severe hypertension in humans, I-169
Venous distensibility
Decreased venous distensibility and reduced renin responsiveness in hypertension, II-36
Ventricular function
Assessment of left atrial function in patients with hypertensive heart disease, 779
Left ventricular filling characteristics in mild untreated hypertension, I-156
Verapamil
Antihypertensive drugs inhibit hypertension-associated aortic DNA synthesis in the rat, 1135
Effect of verapamil on catecholamine secretion by human pheochromocytoma, 813 (L)
Exercise hemodynamics and oxygen delivery in human hypertension: response to verapamil, 3
Veratrine
Veratrine promotes release of angiotensinogen during ventriculocisternal perfusion, I-79
Vitamin D
Evidence for a difference in vitamin D metabolism between spontaneously hypertensive and Wistar-Kyoto rats, 1015
Systemic and renal vascular responses to dietary calcium and vitamin D, 975
Volume-dependent hypertension
Effects of brain renin on hemodynamic function and fluid and electrolyte balance, I-70
Syndrome of hypertension and hyperkalemia with normal glomerular filtration rate, 93 (BR)

W

Water balance
Are hypertensive effects of aldosterone, angiotensin, vasopressin, and norepinephrine chronically additive? 332
Vascular responsiveness to atriopeptin III in mineralocorticoid hypertensive rats, I-146
Water deprivation
Effects of water deprivation and sodium load on atrial natriuretic polypeptide in rat brain, I-61
Water immersion
Spectrum of deranged sodium homeostasis in essential hypertension, 422
Weight (*see also* Obesity)
Chronic effect of ketanserin in mild to moderate essential hypertension, 167
Effect of weight loss on blood pressure and drug consumption in normal weight patients, 223
Factors related to blood pressure in a biracial adolescent female population, 843
Nonpharmacological approaches to the control of high blood pressure: final report of the Subcommittee on Nonpharmacological Therapy of the 1984 Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure, 444 (SR)
Weight-reducing diets and sodium intake, 357 (L)

Y

Yohimbine
Estimation of intrasynaptic norepinephrine concentrations in humans, 471

Z

Zona glomerulosa
Dopaminergic binding and inhibitory effect in the bovine adrenal zona glomerulosa, 203